

EUROPEAN LOUDSPEAKER  
HAUPTSTR. 75  
D-31867 POHLE

TEL. +49-0-5043-989-372  
FAX. +49-0-5043-989-376

WWW.EUROPEANLOUDSPEAKER.COM  
INFO@EUROPEANLOUDSPEAKER.COM



SPEAKER PARTS DISTRIBUTION  
CUSTOM SHOP & REPAIR CENTRE

**CUPPED SPIDERS**

Article Nr.	Outer Ø/in	Outer Ø/cm	V.C. Ø/in	V.C. Ø/cm	Height/in	Height/cm	Hardness	Manufacturer
CS1185	1,185	3,010	0,500	1,270	0,075	0,191	B	
CS1500	1,565	3,975	0,500	1,270	0,150	0,381	D	
CS1565	1,500	3,810	0,600	1,524	0,150	0,381	B	
CS1845	1,845	4,686	1,000	2,540	0,225	0,572	C	
CS2100	2,100	5,334	0,750	1,905	0,175	0,445	B	
CS2155	2,155	5,474	0,750	1,905	0,165	0,419	C	
CS2158	2,158	5,481	1,000	2,540	0,200	0,508	C	ROCKFORD
CS2180	2,180	5,537	1,000	2,540	0,240	0,610	D	ROCKFORD
CS2185	2,185	5,550	0,750	1,905	0,150	0,381	A	PYLE
CS2195	2,195	5,575	1,000	2,540	0,150	0,381	A	
CS2200	2,200	5,588	1,000	2,540	0,240	0,610	C	
CS2265	2,265	5,753	0,750	1,905	0,185	0,470	D	
CS2266	2,266	5,756	0,750	1,905	0,000	0,000	C	JBL
CS2267	2,267	5,758	1,000	2,540	0,225	0,572	C	
CS2275	2,275	5,779	1,000	2,540	0,210	0,533	C	ROCKFORD
CS2375	2,375	6,033	1,000	2,540	0,265	0,673	B	
CS2385	2,385	6,058	0,750	1,905	0,230	0,584	D	WAL
CS2390	2,390	6,071	1,000	2,540	0,230	0,584	C	
CS2392	2,392	6,076	1,000	2,540	0,275	0,699	B	
CS2600	2,600	6,604	1,000	2,540	0,185	0,470	B	
CS2685	2,685	6,820	1,000	2,540	0,345	0,876	C	
CS2700	2,700	6,858	1,000	2,540	0,265	0,673	B	
CS2725	2,725	6,922	1,000	2,540	0,250	0,635	C	
CS2752	2,752	6,990	1,000	2,540	0,350	0,889	C	PYLE
CS2765	2,765	7,023	0,750	1,905	0,235	0,597	E	
CS2825	2,825	7,176	1,000	2,540	0,250	0,635	E	
CS2835	2,835	7,201	1,000	2,540	0,240	0,610	C	
CS2915	2,915	7,404	1,250	3,175	0,300	0,762	D	ROCKFORD
CS2934	2,934	7,452	0,750	1,905	0,175	0,445	C	
CS2975	2,975	7,557	1,000	2,540	0,225	0,572	C	JBL
CS3038	3,038	7,717	0,750	1,905	0,325	0,826	D	
CS3078	3,078	7,818	1,000	2,540	0,190	0,483	B	PYLE
CS3080	3,080	7,823	1,000	2,540	0,190	0,483	D	
CS3085	3,085	7,836	1,000	2,540	0,160	0,406	D	
CS3110	3,110	7,899	1,000	2,540	0,208	0,528	A	
CS3115	3,115	7,912	1,000	2,540	0,215	0,546	C	PYLE
CS3121	3,121	7,927	1,250	3,175	0,400	1,016	D	
CS3122	3,122	7,930	1,250	3,175	0,208	0,528	B	
CS3125	3,125	7,938	1,250	3,175	0,250	0,635	C	
CS3150	3,150	8,001	0,750	1,905	0,300	0,762	D	PYLE
CS3154	3,154	8,011	1,000	2,540	0,290	0,737	E	
CS3157	3,157	8,019	1,000	2,540	0,300	0,762	C	
CS3158	3,158	8,021	1,000	2,540	0,300	0,762	C	
CS3188	3,188	8,098	1,000	2,540	0,125	0,318		
CS3210	3,210	8,153	1,000	2,540	0,165	0,419	C	
CS3384	3,384	8,595	1,000	2,540	0,275	0,699	E	
CS3385	3,385	8,598	1,000	2,540	0,265	0,673	E	ROCKFORD
CS3497	3,497	8,882	1,000	2,540	0,250	0,635	B	
CS3498	3,498	8,885	1,000	2,540	0,250	0,635	C	BOSE
CS3500	3,500	8,890	1,000	2,540	0,250	0,635	E	
CS3510	3,510	8,915	1,250	3,175	0,110	0,279	C	
CS3540	3,540	8,992	1,500	3,810	0,360	0,914	D	ROCKFORD
CS3550	3,550	9,017	1,000	2,540	0,300	0,762	D	
CS3552	3,552	9,022	1,500	3,810	0,350	0,889	A	ROCKFORD
CS3763	3,760	9,550	1,500	3,810	0,338	0,859	C	FENDER
CS3765	3,765	9,563	1,500	3,810	0,450	1,143	D	EMINENCE
CS3787	3,787	9,619	1,500	3,810	0,250	0,635	C	JBL
CS3800	3,800	9,652	1,000	2,540	0,285	0,724	C	

Article Nr.	Outer Ø/in	Outer Ø/cm	V.C. Ø/in	V.C. Ø/cm	Height/in	Height/cm	Hardness	Manufacturer
CS3801	3,801	9,655	1,000	2,540	0,420	1,067	A	
CS3865	3,865	9,817	1,500	3,810	0,325	0,826	E	
CS3879	3,879	9,853	1,000	2,540	0,150	0,381	C	EMINENCE
CS3880	3,800	9,652	1,500	3,810	0,400	1,016	D	
CS3882-D	3,882	9,860	1,500	3,810	0,310	0,787	D	PYLE
CS3882-E	3,882	9,860	1,500	3,810	0,310	0,787	E	PYLE
CS3890	3,890	9,881	1,000	2,540	0,300	0,762	B	
CS3895	3,895	9,893	1,000	2,540	0,260	0,660	C	
CS3901	3,901	9,909	1,000	2,540	0,257	0,653	B	
CS3970-E	3,970	10,084	1,000	2,540	0,300	0,762	E	BOSE
CS3974-A	3,974	10,094	1,000	2,540	0,335	0,851	A	
CS3975-D	3,975	10,097	1,000	2,540	0,280	0,711	D	
CS3990-E	3,990	10,135	1,000	2,540	0,400	1,016	E	PYLE
CS4014	4,014	10,196	1,000	2,540	0,185	0,470	C	
CS4025	4,025	10,224	1,000	2,540	0,135	0,343	C	JBL
CS4045	4,055	10,300	1,000	2,540	0,325	0,826	E	
CS4120	4,120	10,465	1,000	2,540	0,365	0,927	A	
CS4138	4,138	10,511	1,250	3,175	0,340	0,864	E	
CS4139	4,139	10,513	1,250	3,175	0,340	0,864	E	
CS4200	4,200	10,668	1,500	3,810	0,325	0,826	B	
CS4238	4,238	10,765	1,500	3,810	0,480	1,219	C	
CS4240	4,240	10,770	1,500	3,810	0,480	1,219	E	
CS4247	4,247	10,787	1,500	3,810	0,500	1,270	E	JBL
CS4250	4,250	10,795	1,500	3,810	0,310	0,787	A	
CS4261	4,261	10,823	2,000	5,080	0,300	0,762	E	EMINENCE
CS4265	4,265	10,833	1,500	3,810	0,315	0,800	D	EMINENCE
CS4285	4,285	10,884	2,000	5,080	0,285	0,724	C	
CS4286	4,286	10,886	2,000	5,080	0,285	0,724	D	
CS4290	4,290	10,897	1,500	3,810	0,300	0,762	D	EMINENCE
CS4332	4,332	11,003	1,500	3,810	0,435	1,105	B	
CS4365	4,365	11,087	1,000	2,540	0,350	0,889	C	
CS4372	4,372	11,105	1,000	2,540	0,340	0,864	C	MTX
CS4380	4,380	11,125	1,000	2,540	0,345	0,876	B	
CS4398	4,398	11,171	1,000	2,540	0,357	0,907	B	
CS4410	4,410	11,201	1,750	4,445	0,290	0,737	C	
CS4430	4,430	11,252	1,250	3,175	0,430	1,092	B	ROCKFORD
CS4436	4,436	11,267	1,500	3,810	0,310	0,787	C	
CS4440	4,440	11,278	1,500	3,810	0,100	0,254	B	JBL
CS4450	4,550	11,557	1,750	4,445	0,220	0,559	C	
CS4465	4,465	11,341	1,000	2,540	0,343	0,871	B	
CS4475-E	4,475	11,367	1,000	2,540	0,300	0,762	E	BOSE
CS4485	4,485	11,392	1,000	2,540	0,360	0,914	A	
CS4487	4,487	11,397	2,000	5,080	0,460	1,168	D	
CS4489-D	4,489	11,402	1,500	3,810	0,400	1,016	D	
CS4492	4,492	11,410	1,500	3,810	0,400	1,016	E	
CS4500	4,450	11,303	1,500	3,810	0,500	1,270	D	
CS4502	4,502	11,435	2,000	5,080	0,440	1,118	C	
CS4504	4,504	11,440	1,500	3,810	0,425	1,080	C	
CS4505	4,505	11,443	1,500	3,810	0,425	1,080	D	
CS4624	4,624	11,745	2,000	5,080	0,465	1,181	C	CERWIN VEGA
CS4625	4,625	11,748	2,000	5,080	0,465	1,181	D	
CS4630	4,630	11,760	1,500	3,810	0,490	1,245	E	
CS4635	4,635	11,773	2,000	5,080	0,280	0,711	C	
CS4644	4,644	11,796	1,500	3,810	0,350	0,889	B	
CS4645	4,645	11,798	1,500	3,810	0,300	0,762	C	PYLE
CS4646	4,646	11,801	1,500	3,810	0,350	0,889	D	PYLE
CS4648	4,648	11,349	1,500	3,810	0,350	0,889	D	
CS4650-C	4,650	11,811	1,500	3,810	0,500	1,270	C	
CS4670	4,670	11,862	1,500	3,810	0,350	0,889	D	BLACK
CS4700-B	4,700	11,938	1,000	2,540	0,250	0,635	B	
CS4725-E	4,725	12,002	2,500	6,350	0,635	1,613	E	ONKYO
CS4735	4,735	12,027	1,500	3,810	0,275	0,699	C	
CS4736	4,736	12,029	1,500	3,810	0,250	0,635	C	
CS4745	4,475	11,367	1,500	3,810	0,250	0,635	D	
CS4747	4,747	12,057	2,000	5,080	0,370	0,940	E	PAS
CS4750-C	4,750	12,065	2,000	5,080	0,500	1,270	C	EMINENCE
CS4750-D	4,750	12,065	2,000	5,080	0,500	1,270	D	EMINENCE
CS4750-E	4,750	12,065	2,000	5,080	0,500	1,270	E	EMINENCE
CS4755	4,755	12,078	2,000	5,080	0,150	0,381	C	JBL
CS4758	4,758	12,085	1,500	3,810	0,275	0,699	C	EMINENCE

Article Nr.	Outer Ø/in	Outer Ø/cm	V.C. Ø/in	V.C. Ø/cm	Height/in	Height/cm	Hardness	Manufacturer
CS4759	4,759	12,088	1,500	3,810	0,515	1,308	C	EMINENCE
CS4762	4,762	12,095	1,500	3,810	0,515	1,308	D	EMINENCE
CS4763-C	4,763	12,098	2,000	5,080	0,325	0,826	C	PYLE
CS4768	4,768	12,111	1,500	3,810	0,260	0,660	D	
CS4844	4,844	12,304	1,500	3,810	0,500	1,270	C	JBL
CS4845	4,845	12,306	1,500	3,810	0,300	0,762	C	
CS4846	4,846	12,309	1,500	3,810	0,300	0,762	D	
CS4846-C	4,846	12,309	1,500	3,810	0,300	0,762	C	
CS4850	4,850	12,319	2,000	5,080	0,389	0,988	C	
CS4870	4,870	12,370	1,500	3,810	0,200	0,508	D	
CS4872	4,872	12,375	1,500	3,810	0,350	0,889	D	
CS4874	4,874	12,380	1,500	3,810	0,190	0,483	E	
CS4875	4,875	12,383	1,679	4,265	0,100	0,254	B	
CS4890	4,890	12,421	1,500	3,810	0,190	0,483	D	
CS4895	4,895	12,433	1,500	3,810	0,385	0,978	E	
CS4915	4,915	12,484	1,750	4,445	0,180	0,457	C	
CS4934-B	4,934	12,532	2,000	5,080	0,375	0,953	B	
CS4937	4,937	12,540	2,000	5,080	0,375	0,953	C	
CS5025	5,025	12,764	2,000	5,080	0,435	1,105	C	
CS5045	5,045	12,814	2,000	5,080	0,230	0,584	D	
CS5050	5,050	12,827	2,000	5,080	0,190	0,483	D	RCF
CS5055	5,055	12,840	2,000	5,080	0,285	0,724	D	
CS5075	5,075	12,891	2,000	5,080	0,275	0,699	C	
CS5150	5,150	13,081	1,500	3,810	0,250	0,635	C	
CS5200	5,200	13,208	1,500	3,810	0,150	0,381	D	
CS5212	5,212	13,238	2,000	5,080	0,600	1,524	D	
CS5250	5,250	13,335	2,500	6,350	0,300	0,762	E	PYLE
CS5280	5,280	13,411	3,000	7,620	0,115	0,292	D	JBL
CS5300	5,300	13,462	2,500	6,350	0,700	1,778	D	EMINENCE
CS5302	5,302	13,467	1,500	3,810	0,375	0,953	B	PYLE
CS5304	5,304	13,472	1,500	3,810	0,375	0,953	B	PYLE
CS5305	5,305	13,475	1,500	3,810	0,375	0,953	C	
CS5306	5,306	13,477	1,500	3,810	0,375	0,953	C	
CS5320	5,320	13,513	1,250	3,175	0,560	1,422	D	
CS5340	5,340	13,564	1,000	2,540	0,365	0,927	A	
CS5350-D	5,350	13,589	1,500	3,810	0,150	0,381	D	
CS5365	5,365	13,627	2,000	5,080	0,425	1,080	D	PYLE
CS5375	5,375	13,653	2,000	5,080	0,210	0,533	D	VEGA
CS5383	5,383	13,673	2,000	5,080	0,450	1,143	B	PYLE
CS5385	5,385	13,678	2,000	5,080	0,440	1,118	C	
CS5387	5,387	13,683	2,000	5,080	0,440	1,118	E	
CS5393	5,393	13,698	2,000	5,080	0,450	1,143	D	WAL
CS5405	5,405	13,729	2,500	6,350	0,345	0,876	C	EMINENCE
CS5409	5,409	13,739	2,000	5,080	0,400	1,016	C	
CS5410	5,410	13,741	1,500	3,810	0,270	0,686	D	PYLE
CS5417	5,417	13,759	2,500	6,350	0,555	1,410	E	PYLE
CS5435	5,435	13,805	3,000	7,620	0,210	0,533	E	
CS5450	5,450	13,843	2,500	6,350	0,550	1,397	D	
CS5455	5,455	13,856	1,500	3,810	0,398	1,011	E	PYLE
CS5466	5,466	13,884	1,500	3,810	0,240	0,610	C	
CS5468	5,468	13,889	1,500	3,810	0,395	1,003	E	PYLE
CS5487-B	5,487	13,937	3,000	7,620	0,250	0,635	B	RCF
CS5487-C	5,487	13,937	3,000	7,620	0,250	0,635	C	RCF
CS5488-C	5,488	13,940	3,000	7,620	0,475	1,207	C	EMINENCE
CS5488-E	5,488	13,940	3,000	7,620	0,475	1,207	E	EMINENCE
CS5501	5,501	13,973	2,000	5,080	0,175	0,445	D	JBL
CS5504	5,504	13,980	2,500	6,350	0,562	1,427	C	EMINENCE
CS5505	5,505	13,983	2,420	6,147	0,562	1,427	E	EMINENCE
CS5506	5,506	13,985	3,000	7,620	0,125	0,318	B	ALTEC
CS5507	5,507	13,988	3,000	7,620	0,125	0,318	C	ALTEC
CS5509	5,509	13,993	3,000	7,620	0,475	1,207	E	
CS5510	5,510	13,995	2,000	5,080	0,180	0,457	E	JBL
CS5610-C	5,610	14,249	3,000	7,620	0,200	0,508	C	EMINENCE
CS5610-D	5,610	14,249	3,000	7,620	0,200	0,508	D	EMINENCE
CS5625-C	5,625	14,288	3,000	7,620	0,275	0,699	C	EMINENCE
CS5625-D	5,625	14,288	3,000	7,620	0,275	0,699	D	EMINENCE
CS5625-E	5,625	14,288	3,000	7,620	0,275	0,699	E	EMINENCE
CS5700	5,700	14,478	2,000	5,080	0,625	1,588	C	
CS5703	5,703	14,486	1,750	4,445	0,470	1,194	C	
CS5704	5,704	14,488	2,000	5,080	0,610	1,549	E	

Article Nr.	Outer Ø/in	Outer Ø/cm	V.C. Ø/in	V.C. Ø/cm	Height/in	Height/cm	Hardness	Manufacturer
CS5705	5,705	14,491	2,420	6,147	0,565	1,435	D	
CS5706	5,706	14,493	2,420	6,147	0,700	1,778	D	
CS5707	5,707	14,496	2,500	6,350	0,210	0,533	D	EVM
CS5708	5,708	14,498	2,500	6,350	0,210	0,533	F	EV DL
CS5713	5,713	14,511	2,000	5,080	0,550	1,397	D	WAL
CS5714	5,714	14,514	2,000	5,080	0,525	1,334	D	MTX
CS5720	5,720	14,529	2,000	5,080	0,566	1,438	C	PYLE
CS5721-C	5,721	14,531	1,500	3,810	0,400	1,016	C	EMINENCE
CS5721-D	5,721	14,531	1,500	3,810	0,400	1,016	D	EMINENCE
CS5726	5,726	14,544	2,000	5,080	0,600	1,524	D	MTX
CS5730	5,730	14,554	2,000	5,080	0,585	1,486	C	
CS5732	5,732	14,559	2,500	6,350	0,600	1,524	C	MTX
CS5735	5,735	14,567	1,500	3,810	0,500	1,270	B	EMINENCE
CS5737	5,737	14,572	1,500	3,810	0,500	1,270	D	EMINENCE
CS5738	5,738	14,575	2,500	6,350	0,700	1,778	E	EMINENCE
CS5742	5,742	14,585	2,000	5,080	0,565	1,435	E	MTX
CS5743	5,743	14,587	2,000	5,080	0,545	1,384	B	
CS5745	5,745	14,592	2,000	5,080	0,575	1,461	B	
CS5747	5,747	14,597	1,700	4,318	0,470	1,194	D	
CS5750	5,750	14,605	2,000	5,080	0,525	1,334	D	
CS5752	5,752	14,610	2,500	6,350	0,675	1,715	D	
CS5757	5,757	14,623	2,500	6,350	0,500	1,270	D	PYLE
CS5760	5,760	14,630	2,000	5,080	0,625	1,588	B	
CS5764	5,764	14,641	2,000	5,080	0,575	1,461	C	ROCKFORD
CS5775	5,775	14,669	1,500	3,810	0,478	1,214	B	
CS5778	5,778	14,676	1,500	3,810	0,625	1,588	C	ROCKFORD
CS5780	5,780	14,681	1,500	3,810	0,575	1,461	B	
CS5785	5,785	14,694	2,500	6,350	0,850	2,159	C	PEAVEY
CS5796-A	5,796	14,722	2,000	5,080	0,440	1,118	A	PYLE
CS5796-C	5,796	14,722	2,000	5,080	0,440	1,118	C	PYLE
CS5817	5,817	14,775	3,000	7,620	0,700	1,778	C	EMINENCE
CS5818	5,818	14,778	3,000	7,620	0,700	1,778	D	EMINENCE
CS5820	5,820	14,783	2,000	5,080	0,538	1,367	D	
CS5822	5,822	14,788	1,500	3,810	0,685	1,740	C	ROCKFORD
CS5845-D	5,840	14,834	2,000	5,080	0,650	1,651	C	
CS5850-D	5,850	14,859	2,500	6,350	0,625	1,588	D	ONKYO
CS5860	5,860	14,884	2,000	5,080	0,525	1,334	E	
CS5864	5,864	14,895	2,000	5,080	0,635	1,613	D	MTX
CS5865	5,865	14,897	2,000	5,080	0,625	1,588	D	
CS5866-D	5,866	14,900	2,000	5,080	0,625	1,588	D	
CS5866-E	5,866	14,900	2,000	5,080	0,625	1,588	E	
CS5873-C	5,873	14,917	1,500	3,810	0,420	1,067	C	
CS5873-D	5,873	14,917	1,500	3,810	0,420	1,067	D	
CS5875	5,875	14,923	2,000	5,080	0,640	1,626	E	EMINENCE
CS5877	5,877	14,928	2,000	5,080	0,600	1,524	E	
CS5885	5,885	14,948	2,000	5,080	0,620	1,575	B	
CS5887	5,887	14,953	2,000	5,080	0,620	1,575	C	
CS5889	5,889	14,958	2,000	5,080	0,625	1,588	C	EMINENCE
CS5893-D	5,893	14,968	2,000	5,080	0,625	1,588	D	
CS5893-E	5,893	14,968	2,000	5,080	0,625	1,588	E	
CS5899	5,899	14,983	2,000	5,080	0,628	1,595	D	
CS5900	5,900	14,986	2,000	5,080	0,628	1,595	D	
CS5906	5,906	15,001	2,000	5,080	0,210	0,533	C	VEGA
CS5920	5,920	15,037	1,500	3,810	0,210	0,533	C	VEGA
CS5921	5,921	15,039	1,500	3,810	0,210	0,533	D	VEGA
CS5950	5,950	15,113	2,000	5,080	0,625	1,588	C	JBL 125A
CS5965	5,965	15,151	2,000	5,080	0,455	1,156	E	
CS5971	5,971	15,166	2,000	5,080	0,325	0,826	E	
CS5975-B	5,975	15,177	1,500	3,810	0,550	1,397	B	POLK
CS5980	5,980	15,189	2,000	5,080	0,425	1,080	D	
CS5986	5,986	15,204	1,500	3,810	0,400	1,016	C	WAL
CS5992	5,992	15,220	3,000	7,620	0,300	0,762	E	
CS6000	6,000	15,240	2,000	5,080	0,320	0,813	D	
CS6001-E	6,001	15,243	2,000	5,080	0,600	1,524	E	
CS6002	6,002	15,245	2,000	5,080	0,675	1,715	E	ROCKFORD
CS6003	6,003	15,248	2,000	5,080	0,875	2,223	D	MTX
CS6004-D	6,004	15,250	1,500	3,810	0,380	0,965	D	
CS6005	6,005	15,253	2,000	5,080	0,375	0,953	D	
CS6006	6,006	15,255	1,500	3,810	0,425	1,080	E	
CS6007	6,007	15,258	1,500	3,810	0,400	1,016	C	

Article Nr.	Outer Ø/in	Outer Ø/cm	V.C. Ø/in	V.C. Ø/cm	Height/in	Height/cm	Hardness	Manufacturer
CS6010	6,010	15,265	2,000	5,080	0,535	1,359	C	EMINENCE
CS6011	6,011	15,268	2,000	5,080	0,535	1,359	D	
CS6013	6,013	15,273	1,500	3,810	0,350	0,889	D	
CS6014	6,014	15,276	2,000	5,080	0,280	0,711	B	
CS6015	6,015	15,278	1,500	3,810	0,430	1,092	C	
CS6018	6,018	15,286	2,000	5,080	0,460	1,168	D	EMINENCE
CS6020	6,020	15,291	2,000	5,080	0,430	1,092	C	
CS6021	6,021	15,293	2,000	5,080	0,430	1,092	E	EMINENCE
CS6025	6,025	15,304	2,500	6,350	0,860	2,184	E	
CS6029	6,029	15,314	2,500	6,350	0,575	1,461	D	WAL
CS6040	6,040	15,342	2,000	5,080	0,445	1,130	D	
CS6042	6,042	15,347	2,000	5,080	0,450	1,143	C	
CS6043	6,063	15,400	1,500	3,810	0,433	1,100	E	
CS6089	6,089	15,466	3,000	7,620	0,500	1,270	C	VEGA
CS6124	6,124	15,555	2,000	5,080	1,600	4,064	E	
CS6125	6,125	15,558	1,500	3,810	0,390	0,991	E	
CS6150	6,150	15,621	2,000	5,080	0,435	1,105	D	EMINENCE
CS6152	6,152	15,626	2,000	5,080	0,435	1,105	E	MTX
CS6167	6,167	15,664	3,000	7,620	0,540	1,372	D	
CS6187	6,187	15,715	2,000	5,080	0,440	1,118	C	ORION
CS6188-C	6,188	15,718	2,000	5,080	0,273	0,693	C	PYLE
CS6188-E	6,188	15,718	2,000	5,080	0,273	0,693	E	PYLE
CS6250	6,250	15,875	1,500	3,810	0,415	1,054	C	
CS6251	6,251	15,878	2,000	5,080	0,440	1,118	C	ORION
CS6260	6,260	15,900	2,500	6,350	0,575	1,461	E	
CS6280	6,280	15,951	3,000	7,620	0,525	1,334	C	EMINENCE
CS6281	6,281	15,954	3,000	7,620	0,525	1,334	D	EMINENCE
CS6284	6,284	15,961	3,000	7,620	0,600	1,524	D	EMINENCE
CS6285	6,285	15,964	3,000	7,620	0,600	1,524	E	EMINENCE
CS6313	6,313	16,035	3,000	7,620	0,500	1,270	E	PYLE
CS6320	6,320	16,053	3,000	7,620	0,565	1,435	D	
CS6500	6,500	16,510	3,000	7,620	0,350	0,889	C	WAL
CS6510	6,510	16,535	2,000	5,080	0,175	0,445	E	JBL
CS6525	6,525	16,574	2,000	5,080	0,560	1,422	E	
CS6551	6,551	16,640	2,000	5,080	0,520	1,321	C	
CS7000	7,000	17,780	3,000	7,620	0,200	0,508	D	JBL
CS7126	7,126	18,100	3,000	7,620	0,255	0,648	C	
CS7250-D	7,250	18,415	2,500	6,350	0,179	0,455	D	
CS8000	8,000	20,320	3,000	7,620	0,325	0,826	E	