

EUROPEAN LOUDSPEAKER
HAUPTSTR. 75
D-31867 POHLE

TEL. +49-0-5043-989-372
FAX. +49-0-5043-989-376

WWW.EUROPEANLOUDSPEAKER.COM
INFO@EUROPEANLOUDSPEAKER.COM



SPEAKER PARTS DISTRIBUTION
CUSTOM SHOP & REPAIR CENTRE

ROUND WIRE VOICE COILS

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC2000-8-4	0,522	1,326	1,000	2,540	0,473	1,201
KVC2000-16-4	0,522	1,326	1,000	2,540	0,473	1,201
KVC2000-4	0,522	1,326	1,000	2,540	0,473	1,201
KVC2000-5	0,522	1,326	1,000	2,540	0,473	1,201
KVC2000-8	0,522	1,326	1,000	2,540	0,473	1,201
KVC2000-8-4	0,522	1,326	1,000	2,540	0,473	1,201
KVC2100-4	0,761	1,933	0,750	1,905	0,219	0,556
KVC2110-8	0,761	1,933	0,800	2,032	0,301	0,765
KVC2880-4	0,990	2,515	1,375	3,493	0,625	1,588
KVC2989-16	1,000	2,540	0,750	1,905	0,188	0,478
KVC3010-4	1,000	2,540	1,000	2,540	0,250	0,635
KVC3010-4-4	1,000	2,540	1,000	2,540	0,250	0,635
KVC3010-8	1,000	2,540	1,000	2,540	0,250	0,635
KVC3010-8-4	1,000	2,540	1,000	2,540	0,250	0,635
KVC2990-8	1,000	2,540	0,750	1,905	0,275	0,699
KVC3000-2	1,000	2,540	0,812	2,062	0,312	0,792
KVC3000-8	1,000	2,540	0,812	2,062	0,312	0,792
KVC3010-16	1,000	2,540	0,812	2,062	0,312	0,792
KVC3030-16	1,000	2,540	1,000	2,540	0,312	0,792
KVC3030-4	1,000	2,540	1,000	2,540	0,312	0,792
KVC3030-4-4	1,000	2,540	1,000	2,540	0,312	0,792
KVC3030-8	1,000	2,540	1,000	2,540	0,312	0,792
KVC3030-8-4	1,000	2,540	1,000	2,540	0,312	0,792
KVC3050-32-4	1,000	2,540	1,125	2,858	0,375	0,953
KVC3050-4	1,000	2,540	1,125	2,858	0,375	0,953
KVC3050-4-4	1,000	2,540	1,125	2,858	0,375	0,953
KVC3050-8	1,000	2,540	1,125	2,858	0,375	0,953
KVC3050-8-4	1,000	2,540	1,125	2,858	0,375	0,953
KVC3031-8	1,000	2,540	1,000	2,540	0,390	0,991
KVC3070-16	1,000	2,540	1,250	3,175	0,500	1,270
KVC3070-16-4	1,000	2,540	1,250	3,175	0,500	1,270
KVC3070-4	1,000	2,540	1,250	3,175	0,500	1,270
KVC3070-4-4	1,000	2,540	1,250	3,175	0,500	1,270
KVC3070-4-D	1,000	2,540	1,250	3,175	0,500	1,270
KVC3070-8	1,000	2,540	1,250	3,175	0,500	1,270
KVC3070-8-4	1,000	2,540	1,250	3,175	0,500	1,270
KVC3085-4	1,000	2,540	1,500	3,810	0,500	1,270
KVC3085-4-4	1,000	2,540	1,500	3,810	0,500	1,270
KVC3085-8	1,000	2,540	1,500	3,810	0,500	1,270
KVC3080-8-4	1,000	2,540	1,625	4,128	0,500	1,270
KVC3092-8-4	1,000	2,540	1,625	4,128	0,500	1,270
KVC3092-8-D	1,000	2,540	1,625	4,128	0,500	1,270
KVC3071-8	1,000	2,540	1,250	3,175	0,560	1,422
KVC3060-8-D	1,000	2,540	1,125	2,858	0,625	1,588
KVC3075-4	1,000	2,540	1,375	3,493	0,675	1,715
KVC3075-8	1,000	2,540	1,375	3,493	0,675	1,715
KVC3077-4	1,000	2,540	1,375	3,493	0,675	1,715
KVC3090-16	1,000	2,540	1,500	3,810	0,750	1,905
KVC3090-16-4	1,000	2,540	1,500	3,810	0,750	1,905
KVC3090-4	1,000	2,540	1,500	3,810	0,750	1,905
KVC3090-4-4	1,000	2,540	1,500	3,810	0,750	1,905
KVC3090-8	1,000	2,540	1,500	3,810	0,750	1,905
KVC3090-8-4	1,000	2,540	1,500	3,810	0,750	1,905
KVC3098-16-4	1,005	2,553	0,600	1,524	0,250	0,635
KVC3099-8	1,005	2,553	0,812	2,062	0,250	0,635
KVC3110-16	1,005	2,553	1,000	2,540	0,250	0,635
KVC3110-16-4	1,005	2,553	1,000	2,540	0,250	0,635
KVC3110-4	1,005	2,553	1,000	2,540	0,250	0,635
KVC3010-4-4	1,005	2,553	1,000	2,540	0,250	0,635
KVC3110-8	1,005	2,553	1,000	2,540	0,250	0,635
KVC3010-8-4	1,005	2,553	1,000	2,540	0,250	0,635
KVC30981-32	1,005	2,553	0,750	1,905	0,281	0,714
KVC3111-32	1,005	2,553	1,000	2,540	0,281	0,714

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC3100-4	1,005	2,553	0,812	2,062	0,312	0,792
KVC3100-8	1,005	2,553	0,812	2,062	0,312	0,792
KVC3130-4	1,005	2,553	1,000	2,540	0,312	0,792
KVC3130-4-4	1,005	2,553	1,000	2,540	0,312	0,792
KVC3130-8	1,005	2,553	1,000	2,540	0,312	0,792
KVC3130-8-4	1,005	2,553	1,000	2,540	0,312	0,792
KVC3150-4	1,005	2,553	1,000	2,540	0,375	0,953
KVC3150-4-4	1,005	2,553	1,000	2,540	0,375	0,953
KVC3150-8	1,005	2,553	1,000	2,540	0,375	0,953
KVC3150-8-4	1,005	2,553	1,000	2,540	0,375	0,953
KVC3115-16	1,005	2,553	1,250	3,175	0,400	1,016
KVC3175-8	1,005	2,553	1,250	3,175	0,400	1,016
KVC3160-16	1,005	2,553	1,125	2,858	0,437	1,110
KVC3160-4	1,005	2,553	1,125	2,858	0,437	1,110
KVC3160-8	1,005	2,553	1,125	2,858	0,437	1,110
KVC3160-8-4	1,005	2,553	1,125	2,858	0,437	1,110
KVC3152-32-4	1,005	2,553	1,000	2,540	0,500	1,270
KVC3170-4	1,005	2,553	1,125	2,858	0,500	1,270
KVC3170-4-4	1,005	2,553	1,125	2,858	0,500	1,270
KVC3170-8	1,005	2,553	1,125	2,858	0,500	1,270
KVC3170-8-4	1,005	2,553	1,125	2,858	0,500	1,270
KVC3180-4	1,005	2,553	1,375	3,493	0,500	1,270
KVC3180-4-4	1,005	2,553	1,375	3,493	0,500	1,270
KVC3180-8	1,005	2,553	1,375	3,493	0,500	1,270
KVC3180-8-4	1,005	2,553	1,375	3,493	0,500	1,270
KVC3171-4	1,005	2,553	1,125	2,858	0,600	1,524
KVC3182-4	1,005	2,553	1,375	3,493	0,675	1,715
KVC3190-4	1,005	2,553	1,250	3,175	0,750	1,905
KVC3190-4-4	1,005	2,553	1,250	3,175	0,750	1,905
KVC3190-8	1,005	2,553	1,250	3,175	0,750	1,905
KVC3200-8	1,005	2,553	1,750	4,445	0,750	1,905
KVC3219-8	1,008	2,560	0,670	1,702	0,250	0,635
KVC3220-8	1,008	2,560	0,812	2,062	0,312	0,792
KVC3230-4	1,008	2,560	1,000	2,540	0,312	0,792
KVC3230-4-4	1,008	2,560	1,000	2,540	0,312	0,792
KVC3230-4-D	1,008	2,560	1,000	2,540	0,312	0,792
KVC3230-8	1,008	2,560	1,000	2,540	0,312	0,792
KVC3230-8-4	1,008	2,560	1,000	2,540	0,312	0,792
KVC32389-4	1,012	2,570	0,700	1,778	0,250	0,635
KVC3250-1	1,012	2,570	0,750	1,905	0,250	0,635
KVC3250-4	1,012	2,570	0,750	1,905	0,250	0,635
KVC3250-8	1,012	2,570	0,750	1,905	0,250	0,635
KVC3272-1	1,012	2,570	1,250	3,175	0,250	0,635
KVC3238-16	1,012	2,570	0,625	1,588	0,275	0,699
KVC3239-16	1,012	2,570	0,700	1,778	0,300	0,762
KVC3240-8	1,012	2,570	0,812	2,062	0,312	0,792
KVC3260-4	1,012	2,570	1,000	2,540	0,312	0,792
KVC3260-4-4	1,012	2,570	1,000	2,540	0,312	0,792
KVC3260-8	1,012	2,570	1,000	2,540	0,312	0,792
KVC3260-8-4	1,012	2,570	1,000	2,540	0,312	0,792
KVC3265-1	1,012	2,570	1,125	2,858	0,350	0,889
KVC3273-1	1,012	2,570	1,250	3,175	0,350	0,889
KVC3275-4	1,012	2,570	1,250	3,175	0,400	1,016
KVC3270-16	1,012	2,570	1,125	2,858	0,500	1,270
KVC3270-16-4	1,012	2,570	1,125	2,858	0,500	1,270
KVC3270-4	1,012	2,570	1,125	2,858	0,500	1,270
KVC3270-4-4	1,012	2,570	1,125	2,858	0,500	1,270
KVC3270-8	1,012	2,570	1,125	2,858	0,500	1,270
KVC3270-8-4	1,012	2,570	1,125	2,858	0,500	1,270
KVC3276-1	1,012	2,570	1,250	3,175	0,500	1,270
KVC3278-4	1,012	2,570	1,500	3,810	0,500	1,270
KVC3278-8	1,012	2,570	1,500	3,810	0,500	1,270
KVC3341-4	1,012	2,570	1,250	3,175	0,625	1,588
KVC3341-4-4	1,012	2,570	1,250	3,175	0,625	1,588
KVC3280-16	1,012	2,570	1,500	3,810	0,750	1,905
KVC3280-16-4	1,012	2,570	1,500	3,810	0,750	1,905
KVC3280-4	1,012	2,570	1,500	3,810	0,750	1,905
KVC3280-4-4	1,012	2,570	1,500	3,810	0,750	1,905
KVC3280-8	1,012	2,570	1,500	3,810	0,750	1,905
KVC3280-8-4	1,012	2,570	1,500	3,810	0,750	1,905
KVC3286-8 LO	1,012	2,570	2,875	7,303	0,830	2,108
KVC3320-1	1,015	2,578	1,125	2,858	0,187	0,475
KVC3290-16	1,015	2,578	1,000	2,540	0,250	0,635
KVC3290-16-4	1,015	2,578	1,000	2,540	0,250	0,635
KVC3290-4	1,015	2,578	1,000	2,540	0,250	0,635
KVC3290-4-4	1,015	2,578	1,000	2,540	0,250	0,635
KVC3290-8	1,015	2,578	1,000	2,540	0,250	0,635
KVC3290-8-4	1,015	2,578	1,000	2,540	0,250	0,635
KVC3300-4	1,015	2,578	0,812	2,062	0,312	0,792
KVC3300-8	1,015	2,578	0,812	2,062	0,312	0,792

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC3310-16	1,015	2,578	1.000	2.540	0,312	0,792
KVC3310-4	1,015	2,578	1.000	2.540	0,312	0,792
KVC3310-4-4	1,015	2,578	1.000	2.540	0,312	0,792
KVC3310-8	1,015	2,578	1.000	2.540	0,312	0,792
KVC3310-8-4	1,015	2,578	1.000	2.540	0,312	0,792
KVC3330-16-4	1,015	2,578	1.125	2.858	0,375	0,953
KVC3330-4	1,015	2,578	1.125	2.858	0,375	0,953
KVC3330-4-4	1,015	2,578	1.125	2.858	0,375	0,953
KVC3330-8	1,015	2,578	1.125	2.858	0,375	0,953
KVC3330-8-4	1,015	2,578	1.125	2.858	0,375	0,953
KVC3335-4	1,015	2,578	1.250	3.175	0,400	1,016
KVC3335-4-4	1,015	2,578	1.250	3.175	0,400	1,016
KVC3335-8-4	1,015	2,578	1.250	3.175	0,400	1,016
KVC3287-8	1,015	2,578	0,900	2,286	0,500	1,270
KVC3340-1	1,015	2,578	1.250	3.175	0,500	1,270
KVC3340-4	1,015	2,578	1.250	3.175	0,500	1,270
KVC3040-4-4	1,015	2,578	1.250	3.175	0,500	1,270
KVC3040-4-6	1,015	2,578	1.250	3.175	0,500	1,270
KVC3340-8	1,015	2,578	1.250	3.175	0,500	1,270
KVC3040-8-4	1,015	2,578	1.250	3.175	0,500	1,270
KVC3040-8-6	1,015	2,578	1.250	3.175	0,500	1,270
KVC3350-16	1,015	2,578	1.500	3.810	0,500	1,270
KVC3350-16-4	1,015	2,578	1.500	3.810	0,500	1,270
KVC3350-4	1,015	2,578	1.500	3.810	0,500	1,270
KVC3350-4-4	1,015	2,578	1.500	3.810	0,500	1,270
KVC3350-8	1,015	2,578	1.500	3.810	0,500	1,270
KVC330-8-4	1,015	2,578	1.500	3.810	0,500	1,270
KVC3350-8-D	1,015	2,578	1.500	3.810	0,500	1,270
KVC3315-16-4	1,015	2,578	1.000	2.540	0,625	1,588
KVC3360-4	1,015	2,578	1.250	3.175	0,750	1,905
KVC3360-4-4	1,015	2,578	1.250	3.175	0,750	1,905
KVC3360-4-D	1,015	2,578	1.250	3.175	0,750	1,905
KVC3360-8	1,015	2,578	1.250	3.175	0,750	1,905
KVC3360-8-4	1,015	2,578	1.250	3.175	0,750	1,905
KVC3370-16	1,015	2,578	1.500	3.810	0,750	1,905
KVC3370-16-4	1,015	2,578	1.500	3.810	0,750	1,905
KVC3370-4	1,015	2,578	1.500	3.810	0,750	1,905
KVC3370-4-4	1,015	2,578	1.500	3.810	0,750	1,905
KVC3370-8	1,015	2,578	1.500	3.810	0,750	1,905
KVC3370-8-4	1,015	2,578	1.500	3.810	0,750	1,905
KVC3390-16	1,015	2,578	1.875	4.763	1.000	2.540
KVC3390-16-4	1,015	2,578	1.875	4.763	1.000	2.540
KVC3390-4	1,015	2,578	1.875	4.763	1.000	2.540
KVC3390-4-4	1,015	2,578	1.875	4.763	1.000	2.540
KVC3390-8	1,015	2,578	1.875	4.763	1.000	2.540
KVC3390-8-4	1,015	2,578	1.875	4.763	1.000	2.540
KVC3408-4	1,020	2,591	0,750	1,905	0,250	0,635
KVC3430-4	1,020	2,591	1.000	2.540	0,250	0,635
KVC3430-4-4	1,020	2,591	1.000	2.540	0,250	0,635
KVC3430-8	1,020	2,591	1.000	2.540	0,250	0,635
KVC3430-8-4	1,020	2,591	1.000	2.540	0,250	0,635
KVC3410-8	1,020	2,591	0,812	2,062	0,312	0,792
KVC3450-4	1,020	2,591	1.000	2.540	0,312	0,792
KVC3450-4-4	1,020	2,591	1.000	2.540	0,312	0,792
KVC3450-8	1,020	2,591	1.000	2.540	0,312	0,792
KVC3450-8-4	1,020	2,591	1.000	2.540	0,312	0,792
KVC3470-16	1,020	2,591	1.000	2.540	0,312	0,792
KVC3470-4	1,020	2,591	1.125	2.858	0,375	0,953
KVC3470-4-4	1,020	2,591	1.125	2.858	0,375	0,953
KVC3470-8	1,020	2,591	1.125	2.858	0,375	0,953
KVC3470-8-4	1,020	2,591	1.125	2.858	0,375	0,953
KVC3480-8	1,020	2,591	1.250	3.175	0,500	1,270
KVC3480-8-4	1,020	2,591	1.250	3.175	0,500	1,270
KVC3490-16	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-16-4	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-4	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-4-4	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-4-D	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-8	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-8-4	1,020	2,591	1.500	3.810	0,500	1,270
KVC3490-8-D	1,020	2,591	1.500	3.810	0,500	1,270
KVC3510-16	1,020	2,591	1.500	3.810	0,750	1,905
KVC3510-16-4	1,020	2,591	1.500	3.810	0,750	1,905
KVC3510-4	1,020	2,591	1.500	3.810	0,750	1,905
KVC3510-4-4	1,020	2,591	1.500	3.810	0,750	1,905
KVC3510-4-6	1,020	2,591	1.500	3.810	0,750	1,905
KVC3510-8	1,020	2,591	1.500	3.810	0,750	1,905
KVC3510-8-4	1,020	2,591	1.500	3.810	0,750	1,905
KVC3520-4	1,025	2,604	0,750	1,905	0,250	0,635
KVC3525-4	1,030	2,616	0,750	1,905	0,250	0,635

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC3530-4	1,035	2,629	0,750	1,905	0,250	0,635
KVC4050-4	1,147	2,913	1,125	2,858	0,312	0,792
KVC4050-8	1,147	2,913	1,125	2,858	0,312	0,792
KVC4110-16	1,194	3,033	1,000	2,540	0,250	0,635
KVC4110-16-4	1,194	3,033	1,000	2,540	0,250	0,635
KVC4110-4	1,194	3,033	1,000	2,540	0,250	0,635
KVC4110-4-4	1,194	3,033	1,000	2,540	0,250	0,635
KVC4110-8	1,194	3,033	1,000	2,540	0,250	0,635
KVC4110-8-4	1,194	3,033	1,000	2,540	0,250	0,635
KVC4112-16	1,194	3,033	1,250	3,175	0,312	0,792
KVC4070-8	1,194	3,033	1,000	2,540	0,375	0,953
KVC4111-4-4	1,194	3,033	1,000	2,540	0,500	1,270
KVC4078-8	1,194	3,033	1,500	3,810	0,500	1,270
KVC4077-16	1,194	3,033	1,625	4,128	0,500	1,270
KVC4080-4	1,194	3,033	1,750	4,445	0,500	1,270
KVC4080-4-4	1,194	3,033	1,750	4,445	0,500	1,270
KVC4080-8	1,194	3,033	1,750	4,445	0,500	1,270
KVC4080-8-4	1,194	3,033	1,750	4,445	0,500	1,270
KVC4080-8-D	1,194	3,033	1,750	4,445	0,500	1,270
KVC4082-8	1,194	3,033	1,750	4,445	0,625	1,588
KVC4114-8	1,211	3,076	1,500	3,810	0,475	1,207
KVC4125-16	1,257	3,193	1,250	3,175	0,250	0,635
KVC4125-4	1,257	3,193	1,250	3,175	0,250	0,635
KVC4125-8	1,257	3,193	1,250	3,175	0,250	0,635
KVC4150-8	1,257	3,193	0,750	1,905	0,312	0,792
KVC4115-8	1,257	3,193	1,000	2,540	0,313	0,795
KVC4130-16	1,257	3,193	1,250	3,175	0,375	0,953
KVC4130-16-4	1,257	3,193	1,250	3,175	0,375	0,953
KVC4130-4	1,257	3,193	1,250	3,175	0,375	0,953
KVC4130-4-4	1,257	3,193	1,250	3,175	0,375	0,953
KVC4130-8	1,257	3,193	1,250	3,175	0,375	0,953
KVC4130-8-4	1,257	3,193	1,250	3,175	0,375	0,953
KVC4135-8	1,257	3,193	1,500	3,810	0,375	0,953
KVC4120-8	1,257	3,193	1,250	3,175	0,500	1,270
KVC4140-16	1,257	3,193	1,500	3,810	0,562	1,427
KVC4140-16-4	1,257	3,193	1,500	3,810	0,562	1,427
KVC4140-4	1,257	3,193	1,500	3,810	0,562	1,427
KVC4140-4-4	1,257	3,193	1,500	3,810	0,562	1,427
KVC4140-8	1,257	3,193	1,500	3,810	0,562	1,427
KVC4140-8-4	1,257	3,193	1,500	3,810	0,562	1,427
KVC4180-16	1,270	3,226	1,500	3,810	0,375	0,953
KVC4180-16-4	1,270	3,226	1,500	3,810	0,375	0,953
KVC4180-4	1,270	3,226	1,500	3,810	0,375	0,953
KVC4180-4-4	1,270	3,226	1,500	3,810	0,375	0,953
KVC4180-8	1,270	3,226	1,500	3,810	0,375	0,953
KVC4180-8-4	1,270	3,226	1,500	3,810	0,375	0,953
KVC4160-8	1,270	3,226	1,125	2,858	0,406	1,031
KVC4190-16	1,270	3,226	1,500	3,810	0,500	1,270
KVC4190-16-4	1,270	3,226	1,500	3,810	0,500	1,270
KVC4190-4	1,270	3,226	1,500	3,810	0,500	1,270
KVC4190-4-4	1,270	3,226	1,500	3,810	0,500	1,270
KVC4190-8	1,270	3,226	1,500	3,810	0,500	1,270
KVC4190-8-4	1,270	3,226	1,500	3,810	0,500	1,270
KVC4200-16	1,270	3,226	1,750	4,445	0,750	1,905
KVC4200-16-4	1,270	3,226	1,750	4,445	0,750	1,905
KVC4200-4	1,270	3,226	1,750	4,445	0,750	1,905
KVC4200-4-4	1,270	3,226	1,750	4,445	0,750	1,905
KVC4200-8	1,270	3,226	1,750	4,445	0,750	1,905
KVC4200-8-4	1,270	3,226	1,750	4,445	0,750	1,905
KVC4210-16	1,270	3,226	1,750	4,445	1,000	2,540
KVC4210-16-4	1,270	3,226	1,750	4,445	1,000	2,540
KVC4210-4	1,270	3,226	1,750	4,445	1,000	2,540
KVC4210-4-4	1,270	3,226	1,750	4,445	1,000	2,540
KVC4210-8	1,270	3,226	1,750	4,445	1,000	2,540
KVC4210-8-4	1,270	3,226	1,750	4,445	1,000	2,540
KVC4220-16	1,280	3,251	1,250	3,175	0,375	0,953
KVC4220-4	1,280	3,251	1,250	3,175	0,375	0,953
KVC4220-8	1,280	3,251	1,250	3,175	0,375	0,953
KVC4230-16	1,280	3,251	1,375	3,493	0,500	1,270
KVC4230-4	1,280	3,251	1,375	3,493	0,500	1,270
KVC4230-4-4	1,280	3,251	1,375	3,493	0,500	1,270
KVC4230-8	1,280	3,251	1,375	3,493	0,500	1,270
KVC4230-8-4	1,280	3,251	1,375	3,493	0,500	1,270
KVC4250-4	1,284	3,261	1,500	3,810	0,375	0,953
KVC4250-4-4	1,284	3,261	1,500	3,810	0,375	0,953
KVC4250-8	1,284	3,261	1,500	3,810	0,375	0,953
KVC4250-8-4	1,284	3,261	1,500	3,810	0,375	0,953
KVC4260-4	1,284	3,261	1,500	3,810	0,500	1,270
KVC4260-4-4	1,284	3,261	1,500	3,810	0,500	1,270
KVC4260-8	1,284	3,261	1,500	3,810	0,500	1,270

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC4260-8-4	1,284	3,261	1.500	3.810	0,500	1,270
KVC4270-4	1,284	3,261	1.875	4.763	0,750	1,905
KVC4270-4-4	1,284	3,261	1.875	4.763	0,750	1,905
KVC4270-8	1,284	3,261	1.875	4.763	0,750	1,905
KVC4270-8-4	1,284	3,261	1.875	4.763	0,750	1,905
KVC4290-4	1,284	3,261	1.875	4.763	1.000	2.540
KVC4290-4-4	1,284	3,261	1.875	4.763	1.000	2.540
KVC4290-8	1,284	3,261	1.875	4.763	1.000	2.540
KVC4290-8-4	1,284	3,261	1.875	4.763	1.000	2.540
KVC4330-16	1,296	3,292	1.250	3.175	0,375	0,953
KVC4330-4	1,296	3,292	1.250	3.175	0,375	0,953
KVC4330-4-4	1,296	3,292	1.250	3.175	0,375	0,953
KVC4330-4-D	1,296	3,292	1.250	3.175	0,375	0,953
KVC4330-8	1,296	3,292	1.250	3.175	0,375	0,953
KVC4330-8-4	1,296	3,292	1.250	3.175	0,375	0,953
KVC4350-4	1,296	3,292	1.500	3.810	0,500	1,270
KVC4350-4-4	1,296	3,292	1.500	3.810	0,500	1,270
KVC4350-8	1,296	3,292	1.500	3.810	0,500	1,270
KVC4350-8-4	1,296	3,292	1.500	3.810	0,500	1,270
KVC4370-16	1,296	3,292	1.875	4.763	0,750	1,905
KVC4370-16-4	1,296	3,292	1.875	4.763	0,750	1,905
KVC4370-4	1,296	3,292	1.875	4.763	0,750	1,905
KVC4370-4-4	1,296	3,292	1.875	4.763	0,750	1,905
KVC4370-8	1,296	3,292	1.875	4.763	0,750	1,905
KVC4370-8-4	1,296	3,292	1.875	4.763	0,750	1,905
KVC4390-4	1,356	3,444	1.500	3.810	0,375	0,953
KVC4390-8	1,356	3,444	1.500	3.810	0,375	0,953
KVC4391-8	1,410	3,581	0,750	1,905	0,250	0,635
KVC4409-8	1,410	3,581	1.500	3.810	0,250	0,635
KVC4410-16	1,410	3,581	1.500	3.810	0,375	0,953
KVC4410-16-4	1,410	3,581	1.500	3.810	0,375	0,953
KVC4410-4	1,410	3,581	1.500	3.810	0,375	0,953
KVC4410-4-4	1,410	3,581	1.500	3.810	0,375	0,953
KVC4410-8	1,410	3,581	1.500	3.810	0,375	0,953
KVC4410-8-4	1,410	3,581	1.500	3.810	0,375	0,953
KVC4420-16	1,410	3,581	1.500	3.810	0,500	1,270
KVC4420-16-4	1,410	3,581	1.500	3.810	0,500	1,270
KVC4420-4	1,410	3,581	1.500	3.810	0,500	1,270
KVC4420-4-4	1,410	3,581	1.500	3.810	0,500	1,270
KVC4420-8	1,410	3,581	1.500	3.810	0,500	1,270
KVC4420-8-4	1,410	3,581	1.500	3.810	0,500	1,270
KVC4421-16	1,410	3,581	1.625	4.128	0,500	1,270
KVC4392-8	1,410	3,581	1.125	2.858	0,613	1,557
KVC4450-8	1,410	3,581	1.625	4.128	0,625	1,588
KVC4430-16	1,410	3,581	1.875	4.763	0,750	1,905
KVC4430-16-4	1,410	3,581	1.875	4.763	0,750	1,905
KVC4430-4	1,410	3,581	1.875	4.763	0,750	1,905
KVC4430-4-4	1,410	3,581	1.875	4.763	0,750	1,905
KVC4430-4-D	1,410	3,581	1.875	4.763	0,750	1,905
KVC4430-8	1,410	3,581	1.875	4.763	0,750	1,905
KVC4430-8-4	1,410	3,581	1.875	4.763	0,750	1,905
KVC4440-16	1,410	3,581	2.000	5.080	1.000	2.540
KVC4440-16-4	1,410	3,581	2.000	5.080	1.000	2.540
KVC4440-4	1,410	3,581	2.000	5.080	1.000	2.540
KVC4440-4-4	1,410	3,581	2.000	5.080	1.000	2.540
KVC4440-8	1,410	3,581	2.000	5.080	1.000	2.540
KVC4440-8-4	1,410	3,581	2.000	5.080	1.000	2.540
KVC4457-12-6	1,430	3,632	2.000	5.080	1.000	2.540
KVC4457-8-4	1,430	3,632	2.000	5.080	1.000	2.540
KVC4460-16	1,437	3,650	1.500	3.810	0,500	1,270
KVC4460-4	1,437	3,650	1.500	3.810	0,500	1,270
KVC4460-8	1,437	3,650	1.500	3.810	0,500	1,270
KVC4460-8-4	1,437	3,650	1.500	3.810	0,500	1,270
KVC4466-4	1,437	3,650	2.125	5.398	1.000	2.540
KVC4466-4-4	1,437	3,650	2.125	5.398	1.000	2.540
KVC4466-4-6	1,437	3,650	2.125	5.398	1.000	2.540
KVC4466-8-6	1,437	3,650	2.125	5.398	1.000	2.540
KVC4470-4	1,472	3,739	0,550	1,397	0,150	0,381
KVC4472-8	1,472	3,739	0,550	1,397	0,150	0,381
KVC4474-8	1,472	3,739	1.000	2.540	0,375	0,953
KVC4477-8	1,472	3,739	1.375	3.493	0,680	1,727
KVC4480-16	1,483	3,767	1.375	3.493	0,375	0,953
KVC4480-16-4	1,483	3,767	1.375	3.493	0,375	0,953
KVC4480-4	1,483	3,767	1.375	3.493	0,375	0,953
KVC4480-4-4	1,483	3,767	1.375	3.493	0,375	0,953
KVC4480-4-D	1,483	3,767	1.375	3.493	0,375	0,953
KVC4480-8	1,483	3,767	1.375	3.493	0,375	0,953
KVC4480-8-4	1,483	3,767	1.375	3.493	0,375	0,953
KVC4479-8	1,483	3,767	1.125	2.858	0,500	1,270
KVC4490-4-D	1,483	3,767	1.500	3.810	0,600	1,524

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC4485-8	1,483	3,767	1.375	3.493	0,680	1,727
KVC4520-16	1,498	3,805	1.000	2,540	0,300	0,762
KVC4520-8	1,498	3,805	1.000	2,540	0,300	0,762
KVC4530-16	1,500	3,810	1.250	3.175	0,375	0,953
KVC4530-4	1,500	3,810	1.250	3.175	0,375	0,953
KVC4530-8	1,500	3,810	1.250	3.175	0,375	0,953
KVC4532-4	1,500	3,810	1.250	3.175	0,540	1,372
KVC4545-8-4	1,500	3,810	1.625	4.128	0,625	1,588
KVC4540-4	1,500	3,810	1.375	3.493	0,750	1,905
KVC4549-8-4	1,510	3,835	1.500	3.810	0,375	0,953
KVC4550-16	1,510	3,835	1.500	3.810	0,500	1,270
KVC4550-4	1,510	3,835	1.500	3.810	0,500	1,270
KVC4550-4-4	1,510	3,835	1.500	3.810	0,500	1,270
KVC4550-8	1,510	3,835	1.500	3.810	0,500	1,270
KVC4550-8-4	1,510	3,835	1.500	3.810	0,500	1,270
KVC4547-8	1,510	3,835	1.250	3.175	0,625	1,588
KVC4560-4	1,510	3,835	1.500	3.810	0,750	1,905
KVC4560-8	1,510	3,835	1.500	3.810	0,750	1,905
KVC4570-4	1,514	3,846	1.250	3.175	0,250	0,635
KVC4570-4-4	1,514	3,846	1.250	3.175	0,250	0,635
KVC4570-8	1,514	3,846	1.250	3.175	0,250	0,635
KVC4570-8-4	1,514	3,846	1.250	3.175	0,250	0,635
KVC4585-8-4	1,514	3,846	1.500	3.810	0,275	0,699
KVC4690-32	1,514	3,846	1.000	2,540	0,312	0,792
KVC4580-4	1,514	3,846	1.250	3.175	0,500	1,270
KVC4580-8	1,514	3,846	1.250	3.175	0,500	1,270
KVC4590-16	1,514	3,846	1.500	3.810	0,500	1,270
KVC4590-4	1,514	3,846	1.500	3.810	0,500	1,270
KVC4590-4-4	1,514	3,846	1.500	3.810	0,500	1,270
KVC4590-8	1,514	3,846	1.500	3.810	0,500	1,270
KVC4590-8-4	1,514	3,846	1.500	3.810	0,500	1,270
KVC4610-16	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-4	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-4-4	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-4-D	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-8	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-8-1	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-8-4	1,514	3,846	1.500	3.810	0,625	1,588
KVC4610-8-D	1,514	3,846	1.500	3.810	0,625	1,588
KVC4620-16-D	1,514	3,846	1.500	3.810	0,750	1,905
KVC4620-8-DLP	1,514	3,846	1.500	3.810	0,750	1,905
KVC4630-4	1,514	3,846	1.875	4.763	0,750	1,905
KVC4630-4-4	1,514	3,846	1.875	4.763	0,750	1,905
KVC4630-4-D	1,514	3,846	1.875	4.763	0,750	1,905
KVC4630-8	1,514	3,846	1.875	4.763	0,750	1,905
KVC4630-8-4	1,514	3,846	1.875	4.763	0,750	1,905
KVC4670-4	1,514	3,846	2.000	5.080	1.000	2.540
KVC4670-4-4	1,514	3,846	2.000	5.080	1.000	2.540
KVC4670-8	1,514	3,846	2.000	5.080	1.000	2.540
KVC4670-8-4	1,514	3,846	2.000	5.080	1.000	2.540
KVC4630-32	1,518	3,856	1.000	2,540	0,312	0,792
KVC4690-16	1,518	3,856	1.000	2,540	0,312	0,792
KVC4690-16-4	1,518	3,856	1.000	2,540	0,312	0,792
KVC4690-4	1,518	3,856	1.000	2,540	0,312	0,792
KVC4690-4-4	1,518	3,856	1.000	2,540	0,312	0,792
KVC4690-8	1,518	3,856	1.000	2,540	0,312	0,792
KVC4690-8-4	1,518	3,856	1.000	2,540	0,312	0,792
KVC4710-16	1,518	3,856	1.125	2.858	0,375	0,953
KVC4710-16-4	1,518	3,856	1.125	2.858	0,375	0,953
KVC4710-4	1,518	3,856	1.125	2.858	0,375	0,953
KVC4710-4-4	1,518	3,856	1.125	2.858	0,375	0,953
KVC4710-8	1,518	3,856	1.125	2.858	0,375	0,953
KVC4710-8-4	1,518	3,856	1.125	2.858	0,375	0,953
KVC4711-8	1,518	3,856	1.250	3.175	0,375	0,953
KVC4720-16	1,518	3,856	1.375	3.493	0,375	0,953
KVC4720-4	1,518	3,856	1.375	3.493	0,375	0,953
KVC4720-4-4	1,518	3,856	1.375	3.493	0,375	0,953
KVC4720-8	1,518	3,856	1.375	3.493	0,375	0,953
KVC4693-8	1,518	3,856	1.000	2,540	0,500	1,270
KVC4730-16	1,518	3,856	1.500	3.810	0,500	1,270
KVC4730-16-4	1,518	3,856	1.500	3.810	0,500	1,270
KVC4730-32-4	1,518	3,856	1.500	3.810	0,500	1,270
KVC4730-4	1,518	3,856	1.500	3.810	0,500	1,270
KVC4730-4-4	1,518	3,856	1.500	3.810	0,500	1,270
KVC4730-8	1,518	3,856	1.500	3.810	0,500	1,270
KVC4730-8-4	1,518	3,856	1.500	3.810	0,500	1,270
KVC4694-32	1,518	3,856	1.000	2,540	0,562	1,427
KVC4733-4	1,518	3,856	1.500	3.810	0,750	1,905
KVC4733-8	1,518	3,856	1.500	3.810	0,750	1,905
KVC4750-16	1,518	3,856	1.875	4.763	0,750	1,905

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC4750-16-4	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-32	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-4	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-4-4	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-8	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-8-4	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-8-6	1,518	3,856	1.875	4.763	0,750	1,905
KVC4750-8-D	1,518	3,856	1.875	4.763	0,750	1,905
KVC4768-4-6	1,518	3,856	2.000	5.080	0,750	1,905
KVC4770-16	1,518	3,856	2.000	5.080	1.000	2.540
KVC4770-16-4	1,518	3,856	2.000	5.080	1.000	2.540
KVC4770-4	1,518	3,856	2.000	5.080	1.000	2.540
KVC4770-4-4	1,518	3,856	2.000	5.080	1.000	2.540
KVC4770-8	1,518	3,856	2.000	5.080	1.000	2.540
KVC4770-8-4	1,518	3,856	2.000	5.080	1.000	2.540
KVC4780-8	1,520	3,861	1.450	3.683	0,625	1,588
KVC4780-4	1,520	3,861	1.450	3.683	0,640	1,626
KVC4785-4	1,520	3,861	1.600	4.064	0,640	1,626
KVC4779-8	1,520	3,861	1.125	2.858	0,700	1,778
KVC4810-16	1,522	3,866	1.000	2.540	0,312	0,792
KVC4810-16-4	1,522	3,866	1.000	2.540	0,312	0,792
KVC4810-4	1,522	3,866	1.000	2.540	0,312	0,792
KVC4810-4-4	1,522	3,866	1.000	2.540	0,312	0,792
KVC4810-8	1,522	3,866	1.000	2.540	0,312	0,792
KVC4810-8-4	1,522	3,866	1.000	2.540	0,312	0,792
KVC4867-8	1,522	3,866	1.750	4.445	0,312	0,792
KVC4808-8	1,522	3,866	0.937	2,380	0,344	0,874
KVC4830-16	1,522	3,866	1.000	2.540	0,375	0,953
KVC4830-16-4	1,522	3,866	1.000	2.540	0,375	0,953
KVC4830-4	1,522	3,866	1.000	2.540	0,375	0,953
KVC4830-4-4	1,522	3,866	1.000	2.540	0,375	0,953
KVC4830-8	1,522	3,866	1.000	2.540	0,375	0,953
KVC4830-8-4	1,522	3,866	1.000	2.540	0,375	0,953
KVC4835-16	1,522	3,866	1.250	3.175	0,375	0,953
KVC4835-4	1,522	3,866	1.250	3.175	0,375	0,953
KVC4835-8	1,522	3,866	1.250	3.175	0,375	0,953
KVC4848-16	1,522	3,866	1.500	3.810	0,375	0,953
KVC4848-8	1,522	3,866	1.500	3.810	0,375	0,953
KVC4840-16	1,522	3,866	1.125	2.858	0,437	1,110
KVC4840-4	1,522	3,866	1.125	2.858	0,437	1,110
KVC4840-8	1,522	3,866	1.125	2.858	0,437	1,110
KVC4840-8-4	1,522	3,866	1.125	2.858	0,437	1,110
KVC4842-8	1,522	3,866	1.250	3.175	0,437	1,110
KVC4850-16	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-16-4	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-4	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-4-4	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-4-D	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-8	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-8-4	1,522	3,866	1.500	3.810	0,500	1,270
KVC4850-8-D	1,522	3,866	1.500	3.810	0,500	1,270
KVC4853-4-3	1,522	3,866	1.500	3.810	0,562	1,427
KVC4860-16	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-16-4	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-32	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-4	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-4-4	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-4-D	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-8	1,522	3,866	1.375	3.493	0,625	1,588
KVC4860-8-4	1,522	3,866	1.375	3.493	0,625	1,588
KVC4855-4	1,522	3,866	1.450	3.683	0,625	1,588
KVC4855-8	1,522	3,866	1.450	3.683	0,625	1,588
KVC4880-4	1,522	3,866	1.875	4.763	0,650	1,651
KVC4880-4-4	1,522	3,866	1.875	4.763	0,650	1,651
KVC4880-4-D	1,522	3,866	1.875	4.763	0,650	1,651
KVC4880-8	1,522	3,866	1.875	4.763	0,650	1,651
KVC4880-8-4	1,522	3,866	1.875	4.763	0,650	1,651
KVC4880-8-D	1,522	3,866	1.875	4.763	0,650	1,651
KVC4870-16	1,522	3,866	1.875	4.763	0,750	1,905
KVC4870-16-4	1,522	3,866	1.875	4.763	0,750	1,905
KVC4870-4	1,522	3,866	1.875	4.763	0,750	1,905
KVC4870-4-4	1,522	3,866	1.875	4.763	0,750	1,905
KVC4870-8	1,522	3,866	1.875	4.763	0,750	1,905
KVC4870-8-4	1,522	3,866	1.875	4.763	0,750	1,905
KVC4870-8-DLP	1,522	3,866	1.875	4.763	0,750	1,905
KVC4865-4-4	1,522	3,866	1.625	4.128	1.000	2.540
KVC4865-8	1,522	3,866	1.625	4.128	1.000	2.540
KVC4890-16	1,522	3,866	2.000	5.080	1.000	2.540
KVC4890-16-4	1,522	3,866	2.000	5.080	1.000	2.540
KVC4890-4	1,522	3,866	2.000	5.080	1.000	2.540

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC4890-4-4	1,522	3,866	2.000	5.080	1.000	2.540
KVC4890-8	1,522	3,866	2.000	5.080	1.000	2.540
KVC4890-8-4	1,522	3,866	2.000	5.080	1.000	2.540
KVC4890-8-DLP	1,522	3,866	2.000	5.080	1.000	2.540
KVC4910-16	1,522	3,866	2.000	5.080	1.187	3.015
KVC4910-16-4	1,522	3,866	2.000	5.080	1.187	3.015
KVC4910-4	1,522	3,866	2.000	5.080	1.187	3.015
KVC4910-4-4	1,522	3,866	2.000	5.080	1.187	3.015
KVC4910-8	1,522	3,866	2.000	5.080	1.187	3.015
KVC4940-8-4	1,522	3,866	3.000	7.620	1.375	3.493
KVC4970-16	1,533	3,894	1.500	3.810	0.312	0.792
KVC4970-16-4	1,533	3,894	1.500	3.810	0.312	0.792
KVC4970-4	1,533	3,894	1.500	3.810	0.312	0.792
KVC4970-4-4	1,533	3,894	1.500	3.810	0.312	0.792
KVC4970-8	1,533	3,894	1.500	3.810	0.312	0.792
KVC4970-8-4	1,533	3,894	1.500	3.810	0.312	0.792
KVC4960-4	1,533	3,894	1.250	3.175	0.425	1,080
KVC4960-8	1,533	3,894	1.250	3.175	0.425	1,080
KVC4980-16	1,533	3,894	1.500	3.810	0.500	1,270
KVC4980-16-4	1,533	3,894	1.500	3.810	0.500	1,270
KVC4980-4	1,533	3,894	1.500	3.810	0.500	1,270
KVC4980-4-4	1,533	3,894	1.500	3.810	0.500	1,270
KVC4980-8	1,533	3,894	1.500	3.810	0.500	1,270
KVC4980-8-4	1,533	3,894	1.500	3.810	0.500	1,270
KVC4982-4	1,533	3,894	1.500	3.810	0.750	1,905
KVC5010-4	1,533	3,894	1.875	4.763	0.750	1,905
KVC5010-8	1,533	3,894	1.875	4.763	0.750	1,905
KVC5010-8-D	1,533	3,894	1.875	4.763	0.750	1,905
KVC5030-4	1,545	3,924	1.500	3.810	0.375	0,953
KVC5030-4-4	1,545	3,924	1.500	3.810	0.375	0,953
KVC5030-8	1,545	3,924	1.500	3.810	0.375	0,953
KVC5030-8-4	1,545	3,924	1.500	3.810	0.375	0,953
KVC5050-4	1,545	3,924	1.500	3.810	0.500	1,270
KVC5050-4-4	1,545	3,924	1.500	3.810	0.500	1,270
KVC5050-8	1,545	3,924	1.500	3.810	0.500	1,270
KVC5050-8-4	1,545	3,924	1.500	3.810	0.500	1,270
KVC5070-4	1,545	3,924	1.875	4.763	0.750	1,905
KVC5070-4-4	1,545	3,924	1.875	4.763	0.750	1,905
KVC5070-4-D	1,545	3,924	1.875	4.763	0.750	1,905
KVC5070-4-DLP	1,545	3,924	1.875	4.763	0.750	1,905
KVC5070-8	1,545	3,924	1.875	4.763	0.750	1,905
KVC5070-8-4	1,545	3,924	1.875	4.763	0.750	1,905
KVC5070-8-DLP	1,545	3,924	1.875	4.763	0.750	1,905
KVC5150-16	1,560	3,962	1.625	4.128	0.375	0,953
KVC5150-4	1,560	3,962	1.625	4.128	0.375	0,953
KVC5150-8	1,560	3,962	1.625	4.128	0.375	0,953
KVC5130-4	1,560	3,962	1.375	3.493	0.500	1,270
KVC5130-4-4	1,560	3,962	1.375	3.493	0.500	1,270
KVC5130-8	1,560	3,962	1.375	3.493	0.500	1,270
KVC5130-8-4	1,560	3,962	1.375	3.493	0.500	1,270
KVC5170-4 LO	1,565	3,975	1.875	4.763	0.375	0,953
KVC5170-8	1,565	3,975	1.875	4.763	0.375	0,953
KVC5170-8 LO	1,565	3,975	1.875	4.763	0.375	0,953
KVC5200-4	1,600	4,064	2.250	5.715	0.750	1,905
KVC5200-4-4	1,600	4,064	2.250	5.715	0.750	1,905
KVC5500-4	1,678	4,262	1.250	3.175	0.375	0,953
KVC5500-8	1,678	4,262	1.250	3.175	0.375	0,953
KVC5508-4	1,678	4,262	1.500	3.810	0.375	0,953
KVC5508-8	1,678	4,262	1.500	3.810	0.375	0,953
KVC5510-4	1,678	4,262	1.500	3.810	0.500	1,270
KVC5511-8	1,679	4,265	1.000	2.540	0.250	0,635
KVC5520-4	1,755	4,458	1.000	2.540	0.375	0,953
KVC5520-8	1,755	4,458	1.000	2.540	0.375	0,953
KVC5530-4	1,755	4,458	1.500	3.810	0.375	0,953
KVC5530-4-4	1,755	4,458	1.500	3.810	0.375	0,953
KVC5530-8	1,755	4,458	1.500	3.810	0.375	0,953
KVC5530-8-4	1,755	4,458	1.500	3.810	0.375	0,953
KVC5550-4	1,755	4,458	1.625	4.128	0.406	1,031
KVC5550-8	1,755	4,458	1.625	4.128	0.406	1,031
KVC5610-16	1,755	4,458	1.875	4.763	0.562	1,427
KVC5610-4	1,755	4,458	1.875	4.763	0.562	1,427
KVC5610-4-4	1,755	4,458	1.875	4.763	0.562	1,427
KVC5610-8	1,755	4,458	1.875	4.763	0.562	1,427
KVC5610-8-4	1,755	4,458	1.875	4.763	0.562	1,427
KVC5630-16	1,755	4,458	1.875	4.763	0.875	2,223
KVC5630-32	1,755	4,458	1.875	4.763	0.875	2,223
KVC5630-4	1,755	4,458	1.875	4.763	0.875	2,223
KVC5630-4-4	1,755	4,458	1.875	4.763	0.875	2,223
KVC5630-8	1,755	4,458	1.875	4.763	0.875	2,223
KVC5630-8-4	1,755	4,458	1.875	4.763	0.875	2,223

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC5650-16	1,763	4,478	1.000	2,540	0,375	0,953
KVC5650-32	1,763	4,478	1.000	2,540	0,375	0,953
KVC5650-4	1,763	4,478	1.000	2,540	0,375	0,953
KVC5650-8	1,763	4,478	1.000	2,540	0,375	0,953
KVC5660-16	1,763	4,478	1.375	3,493	0,437	1,110
KVC5660-16-4	1,763	4,478	1.375	3,493	0,437	1,110
KVC5660-4	1,763	4,478	1.375	3,493	0,437	1,110
KVC5660-4-4	1,763	4,478	1.375	3,493	0,437	1,110
KVC5660-8	1,763	4,478	1.375	3,493	0,437	1,110
KVC5660-8-4	1,763	4,478	1.375	3,493	0,437	1,110
KVC5661-16-4	1,763	4,478	1.000	2,540	0,500	1,270
KVC5661-16-4	1,763	4,478	1.375	3,493	0,500	1,270
KVC5652-32	1,763	4,478	1.250	3,175	0,625	1,588
KVC5670-4	1,763	4,478	1.500	3,810	0,625	1,588
KVC5670-4-4	1,763	4,478	1.500	3,810	0,625	1,588
KVC5670-8	1,763	4,478	1.500	3,810	0,625	1,588
KVC5670-8-4	1,763	4,478	1.500	3,810	0,625	1,588
KVC5671-8	1,763	4,478	1.500	3,810	0,750	1,905
KVC5692-8-4	1,792	4,552	1.750	4,445	0,400	1,016
KVC5690-8	1,792	4,552	1.625	4,128	0,425	1,080
KVC5810-16	1,913	4,859	1.375	3,493	0,375	0,953
KVC5810-4	1,913	4,859	1.375	3,493	0,375	0,953
KVC5810-8	1,913	4,859	1.375	3,493	0,375	0,953
KVC5820-16	1,913	4,859	1.500	3,810	0,500	1,270
KVC5820-4	1,913	4,859	1.500	3,810	0,500	1,270
KVC5820-8	1,913	4,859	1.500	3,810	0,500	1,270
KVC5830-4	1,913	4,859	1.625	4,128	0,625	1,588
KVC5830-4-4	1,913	4,859	1.625	4,128	0,625	1,588
KVC5830-4-D	1,913	4,859	1.625	4,128	0,625	1,588
KVC5830-8	1,913	4,859	1.625	4,128	0,625	1,588
KVC5830-8-4	1,913	4,859	1.625	4,128	0,625	1,588
KVC5840-4	1,913	4,859	2.000	5,080	0,625	1,588
KVC5866-4-4	1,913	4,859	2.500	6,350	0,688	1,748
KVC5841-8-DLP	1,913	4,859	2.000	5,080	0,750	1,905
KVC5850-4	1,913	4,859	2.000	5,080	0,875	2,223
KVC5850-8	1,913	4,859	2.000	5,080	0,875	2,223
KVC5870-4	1,913	4,859	2.500	6,350	1,000	2,540
KVC5870-4-4	1,913	4,859	2.500	6,350	1,000	2,540
KVC5870-8	1,913	4,859	2.500	6,350	1,000	2,540
KVC5871-8	1,920	4,877	1.625	4,128	0,625	1,588
KVC5873-4-4	1,920	4,877	2.250	5,715	0,750	1,905
KVC5874-4	1,920	4,877	2.250	5,715	1,000	2,540
KVC5890-4	1,935	4,915	1.125	2,858	0,375	0,953
KVC5890-8	1,935	4,915	1.125	2,858	0,375	0,953
KVC5893-8	1,935	4,915	1.375	3,493	0,500	1,270
KVC5900-4	1,935	4,915	2.000	5,080	0,725	1,842
KVC5900-4-D	1,935	4,915	2.000	5,080	0,725	1,842
KVC5900-8	1,935	4,915	2.000	5,080	0,725	1,842
KVC5905-4	1,935	4,915	2.000	5,080	0,725	1,842
KVC5880-4-4	1,935	4,915	1.750	4,445	0,750	1,905
KVC5920-4	1,935	4,915	2.000	5,080	0,875	2,223
KVC5920-4-D	1,935	4,915	2.000	5,080	0,875	2,223
KVC5920-8	1,935	4,915	2.000	5,080	0,875	2,223
KVC5905-4-D	1,935	4,915	2.000	5,080	1,000	2,540
KVC59053-4-4	1,945	4,940	2.250	5,715	0,650	1,651
KVC59052-8	1,945	4,940	1.750	4,445	0,688	1,748
KVC59055-4-4	1,945	4,940	2.250	5,715	1,000	2,540
KVC5925-8	1,975	5,017	1.500	3,810	0,364	0,925
KVC5960-4	1,980	5,029	1.500	3,810	0,750	1,905
KVC5960-8	1,980	5,029	1.500	3,810	0,750	1,905
KVC5961-16	1,980	5,029	1.625	4,128	0,780	1,981
KVC5906-8	1,992	5,060	0,640	1,626	0,275	0,699
KVC5966-4	1,992	5,060	1.250	3,175	0,550	1,397
KVC5910-16	1,992	5,060	1.750	4,445	0,562	1,427
KVC5910-16-4	1,992	5,060	1.750	4,445	0,562	1,427
KVC5910-4	1,992	5,060	1.750	4,445	0,562	1,427
KVC5910-4-4	1,992	5,060	1.750	4,445	0,562	1,427
KVC5910-8	1,992	5,060	1.750	4,445	0,562	1,427
KVC5910-8-4	1,992	5,060	1.750	4,445	0,562	1,427
KVC5910-8-D	1,992	5,060	1.750	4,445	0,562	1,427
KVC5907-4	1,992	5,060	1.500	3,810	0,593	1,506
KVC5950-4	1,992	5,060	2.000	5,080	0,875	2,223
KVC5950-8	1,992	5,060	2.000	5,080	0,875	2,223
KVC5970-4	1,992	5,060	2.000	5,080	1,093	2,776
KVC6020-16	2,000	5,080	1.000	2,540	0,375	0,953
KVC6020-4	2,000	5,080	1.000	2,540	0,375	0,953
KVC6020-8	2,000	5,080	1.000	2,540	0,375	0,953
KVC6057-16	2,000	5,080	1.375	3,493	0,375	0,953
KVC6057-8	2,000	5,080	1.375	3,493	0,375	0,953
KVC6059-8	2,000	5,080	1.500	3,810	0,375	0,953

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC6050-4	2,000	5,080	1.250	3.175	0,500	1,270
KVC6050-4-4	2,000	5,080	1.250	3.175	0,500	1,270
KVC6050-8	2,000	5,080	1.250	3.175	0,500	1,270
KVC6050-8-4	2,000	5,080	1.250	3.175	0,500	1,270
KVC6060-8	2,000	5,080	1.500	3.810	0,500	1,270
KVC6055-8	2,000	5,080	1.250	3.175	0,625	1,588
KVC6067-8	2,000	5,080	1.750	4.445	0,625	1,588
KVC6070-4	2,000	5,080	1.750	4.445	0,750	1,905
KVC6070-4-4	2,000	5,080	1.750	4.445	0,750	1,905
KVC6070-4-D	2,000	5,080	1.750	4.445	0,750	1,905
KVC6070-8	2,000	5,080	1.750	4.445	0,750	1,905
KVC6070-8-4	2,000	5,080	1.750	4.445	0,750	1,905
KVC6110-4	2,000	5,080	2.250	5.715	0,750	1,905
KVC6110-8	2,000	5,080	2.250	5.715	0,750	1,905
KVC6090-16	2,000	5,080	1.875	4.763	1,000	2,540
KVC6090-4	2,000	5,080	1.875	4.763	1,000	2,540
KVC6090-4-4	2,000	5,080	1.875	4.763	1,000	2,540
KVC6090-4-D	2,000	5,080	1.875	4.763	1,000	2,540
KVC6090-8	2,000	5,080	1.875	4.763	1,000	2,540
KVC6090-8-4	2,000	5,080	1.875	4.763	1,000	2,540
KVC6091-4	2,000	5,080	2.250	5.715	1,000	2,540
KVC6112-4	2,000	5,080	2.250	5.715	1,000	2,540
KVC6112-4-4	2,000	5,080	2.250	5.715	1,000	2,540
KVC6100-16 LO	2,000	5,080	1.875	4.763	1,125	2,858
KVC6100-4 LO	2,000	5,080	1.875	4.763	1,125	2,858
KVC6100-8 LO	2,000	5,080	1.875	4.763	1,125	2,858
KVC6125-8	2,006	5,095	0,875	2,223	0,175	0,445
KVC6128-8	2,006	5,095	1,125	2,858	0,330	0,838
KVC6130-4	2,006	5,095	1,375	3,493	0,375	0,953
KVC6130-8	2,006	5,095	1,375	3,493	0,375	0,953
KVC6132-8	2,006	5,095	1,500	3,810	0,375	0,953
KVC6140-16	2,006	5,095	1,500	3,810	0,562	1,427
KVC6140-4	2,006	5,095	1,500	3,810	0,562	1,427
KVC6140-8	2,006	5,095	1,500	3,810	0,562	1,427
KVC6150-16	2,006	5,095	1,250	3,175	0,580	1,473
KVC6150-32	2,006	5,095	1,250	3,175	0,580	1,473
KVC6150-4	2,006	5,095	1,250	3,175	0,580	1,473
KVC6150-4-4	2,006	5,095	1,250	3,175	0,580	1,473
KVC6150-4-D	2,006	5,095	1,250	3,175	0,580	1,473
KVC6150-8	2,006	5,095	1,250	3,175	0,580	1,473
KVC6150-8-4	2,006	5,095	1,250	3,175	0,580	1,473
KVC6255-4	2,006	5,095	1,500	3,810	0,610	1,549
KVC6145-4-4	2,006	5,095	1,750	4,445	0,625	1,588
KVC6175-8	2,006	5,095	2,000	5,080	0,750	1,905
KVC6143-8	2,006	5,095	1,500	3,810	0,875	2,223
KVC6182-4	2,006	5,095	2,530	6,426	1,000	2,540
KVC6180-4	2,006	5,095	2,375	6,033	1,250	3,175
KVC6184-4-4	2,006	5,095	2,750	6,985	1,500	3,810
KVC6190-16	2,015	5,118	1,000	2,540	0,375	0,953
KVC6190-4	2,015	5,118	1,000	2,540	0,375	0,953
KVC6190-8	2,015	5,118	1,000	2,540	0,375	0,953
KVC6210-4	2,015	5,118	1,250	3,175	0,375	0,953
KVC6210-4-4	2,015	5,118	1,250	3,175	0,375	0,953
KVC6210-8	2,015	5,118	1,250	3,175	0,375	0,953
KVC6210-8-4	2,015	5,118	1,250	3,175	0,375	0,953
KVC6233-1	2,015	5,118	1,325	3,366	0,400	1,016
KVC6192-16	2,015	5,118	1,125	2,858	0,438	1,113
KVC6193-16-4	2,015	5,118	1,125	2,858	0,500	1,270
KVC6230-16	2,015	5,118	1,250	3,175	0,500	1,270
KVC6230-4	2,015	5,118	1,250	3,175	0,500	1,270
KVC6230-4-4	2,015	5,118	1,250	3,175	0,500	1,270
KVC6230-8	2,015	5,118	1,250	3,175	0,500	1,270
KVC6230-8-4	2,015	5,118	1,250	3,175	0,500	1,270
KVC6250-16	2,015	5,118	1,375	3,493	0,500	1,270
KVC6250-16-4	2,015	5,118	1,375	3,493	0,500	1,270
KVC6250-4	2,015	5,118	1,375	3,493	0,500	1,270
KVC6250-4-4	2,015	5,118	1,375	3,493	0,500	1,270
KVC6250-8	2,015	5,118	1,375	3,493	0,500	1,270
KVC6250-8-4	2,015	5,118	1,375	3,493	0,500	1,270
KVC6234-16	2,015	5,118	1,500	3,810	0,500	1,270
KVC6234-4	2,015	5,118	1,500	3,810	0,500	1,270
KVC6234-8	2,015	5,118	1,500	3,810	0,500	1,270
KVC6280-4	2,015	5,118	1,750	4,445	0,500	1,270
KVC6280-4-4	2,015	5,118	1,750	4,445	0,500	1,270
KVC6280-8	2,015	5,118	1,750	4,445	0,500	1,270
KVC6280-8-4	2,015	5,118	1,750	4,445	0,500	1,270
KVC6220-16	2,015	5,118	1,250	3,175	0,625	1,588
KVC6220-4	2,015	5,118	1,250	3,175	0,625	1,588
KVC6220-8	2,015	5,118	1,250	3,175	0,625	1,588
KVC6235-32	2,015	5,118	1,500	3,810	0,625	1,588

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC6235-4	2,015	5,118	1.500	3.810	0,625	1,588
KVC6235-8	2,015	5,118	1.500	3.810	0,625	1,588
KVC6235-8	2,015	5,118	1.500	3.810	0,625	1,588
KVC6240-16	2,015	5,118	1.625	4.128	0,625	1,588
KVC6240-16-4	2,015	5,118	1.625	4.128	0,625	1,588
KVC6240-4	2,015	5,118	1.625	4.128	0,625	1,588
KVC6240-4-4	2,015	5,118	1.625	4.128	0,625	1,588
KVC6240-8	2,015	5,118	1.625	4.128	0,625	1,588
KVC6240-8-4	2,015	5,118	1.625	4.128	0,625	1,588
KVC6240-8-D	2,015	5,118	1.625	4.128	0,625	1,588
KVC6290-8-D	2,015	5,118	1.800	4.572	0,687	1,745
KVC6236-8	2,015	5,118	1.500	3.810	0,750	1,905
KVC6270-16	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-16-4	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-32	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-4	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-4-4	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-4-D	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-8	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-8-4	2,015	5,118	1.625	4.128	0,750	1,905
KVC6270-8-DLP	2,015	5,118	1.625	4.128	0,750	1,905
KVC6300-4-D	2,015	5,118	2.000	5.080	0,750	1,905
KVC6290-4	2,015	5,118	1.800	4.572	0,770	1,956
KVC6290-4-4	2,015	5,118	1.800	4.572	0,770	1,956
KVC62904-D	2,015	5,118	1.800	4.572	0,770	1,956
KVC6291-4	2,015	5,118	1.875	4.763	0,875	2,223
KVC6303-8-D	2,015	5,118	2.500	6.350	0,900	2,286
KVC6262-4-4JL	2,015	5,118	1.900	4.826	1.000	2.540
KVC6262-8-4JL	2,015	5,118	1.900	4.826	1.000	2.540
KVC6295-4-4	2,015	5,118	1.950	4.953	1.000	2.540
KVC6295-4-D	2,015	5,118	1.950	4.953	1.000	2.540
KVC6295-8-4	2,015	5,118	1.950	4.953	1.000	2.540
KVC6295-8-D	2,015	5,118	1.950	4.953	1.000	2.540
KVC6260-4	2,015	5,118	2.000	5.080	1.000	2.540
KVC6260-4-4	2,015	5,118	2.000	5.080	1.000	2.540
KVC6260-8	2,015	5,118	2.000	5.080	1.000	2.540
KVC6260-8-4	2,015	5,118	2.000	5.080	1.000	2.540
KVC6260-8-DLP	2,015	5,118	2.000	5.080	1.000	2.540
KVC6301-4	2,015	5,118	2.250	5.715	1.000	2.540
KVC6262-8-DJL	2,015	5,118	2.000	5.080	1.125	2.858
KVC6305-4-D	2,015	5,118	2.500	6.350	1.300	3.302
KVC6305-4-DLP	2,015	5,118	2.500	6.350	1.300	3.302
KVC6310-4	2,018	5,126	1.000	2.540	0,375	0,953
KVC6310-8	2,018	5,126	1.000	2.540	0,375	0,953
KVC6338-16	2,018	5,126	1.375	3.493	0,375	0,953
KVC6330-16	2,018	5,126	1.000	2.540	0,500	1,270
KVC6330-4	2,018	5,126	1.000	2.540	0,500	1,270
KVC6330-8	2,018	5,126	1.000	2.540	0,500	1,270
KVC6350-16	2,018	5,126	1.500	3.810	0,580	1,473
KVC6350-16-4	2,018	5,126	1.500	3.810	0,580	1,473
KVC6350-4	2,018	5,126	1.500	3.810	0,580	1,473
KVC6350-4-4	2,018	5,126	1.500	3.810	0,580	1,473
KVC6350-8	2,018	5,126	1.500	3.810	0,580	1,473
KVC6350-8-4	2,018	5,126	1.500	3.810	0,580	1,473
KVC6370-16	2,018	5,126	1.500	3.810	0,625	1,588
KVC6370-16-4	2,018	5,126	1.500	3.810	0,625	1,588
KVC6370-4	2,018	5,126	1.500	3.810	0,625	1,588
KVC6370-4-4	2,018	5,126	1.500	3.810	0,625	1,588
KVC6370-8	2,018	5,126	1.500	3.810	0,625	1,588
KVC6370-8-4	2,018	5,126	1.500	3.810	0,625	1,588
KVC6340-16	2,018	5,126	1.375	3.493	0,656	1,666
KVC6410-16	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-16-4	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-4	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-4-3	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-4-4	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-4-D	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-8	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-8-4	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-8-D	2,018	5,126	1.875	4.763	0,750	1,905
KVC6410-8-DLP	2,018	5,126	1.875	4.763	0,750	1,905
KVC6411-4-DLP	2,018	5,126	2.000	5.080	0,750	1,905
KVC6411-8-DLP	2,018	5,126	2.000	5.080	0,750	1,905
KVC6429-4-4	2,018	5,126	2.000	5.080	0,875	2,223
KVC6430-16	2,018	5,126	2.000	5.080	1.000	2.540
KVC6430-16-4	2,018	5,126	2.000	5.080	1.000	2.540
KVC6430-4	2,018	5,126	2.000	5.080	1.000	2.540
KVC6430-4-4	2,018	5,126	2.000	5.080	1.000	2.540
KVC6430-8	2,018	5,126	2.000	5.080	1.000	2.540
KVC6430-8-4	2,018	5,126	2.000	5.080	1.000	2.540

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC6445-8	2,020	5,131	1.200	3.048	0,500	1,270
KVC6450-4	2,020	5,131	1.375	3.493	0,687	1,745
KVC6450-8-4	2,020	5,131	1.375	3.493	0,688	1,748
KVC6510-16	2,022	5,136	1.000	2.540	0,375	0,953
KVC6510-16-4	2,022	5,136	1.000	2.540	0,375	0,953
KVC6510-4	2,022	5,136	1.000	2.540	0,375	0,953
KVC6510-4-4	2,022	5,136	1.000	2.540	0,375	0,953
KVC6510-8	2,022	5,136	1.000	2.540	0,375	0,953
KVC6510-8-4	2,022	5,136	1.000	2.540	0,375	0,953
KVC6520-8	2,022	5,136	1.250	3.175	0,375	0,953
KVC6530-16	2,022	5,136	1.375	3.493	0,500	1,270
KVC6530-16-4	2,022	5,136	1.375	3.493	0,500	1,270
KVC6530-4	2,022	5,136	1.375	3.493	0,500	1,270
KVC6530-4-4	2,022	5,136	1.375	3.493	0,500	1,270
KVC6530-8	2,022	5,136	1.375	3.493	0,500	1,270
KVC6530-8-4	2,022	5,136	1.375	3.493	0,500	1,270
KVC6544-8	2,022	5,136	1.875	4.763	0,500	1,270
KVC6535-8	2,022	5,136	1.500	3.810	0,580	1,473
KVC6545-4-D	2,022	5,136	1.875	4.763	0,625	1,588
KVC6550-16	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-16-4	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-2	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-4	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-4-4	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-4-D	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-8	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-8-4	2,022	5,136	1.875	4.763	0,750	1,905
KVC6550-8-D	2,022	5,136	1.875	4.763	0,750	1,905
KVC6594-4	2,022	5,136	2.530	6.426	0,750	1,905
KVC6570-16	2,022	5,136	1.875	4.763	1.000	2,540
KVC6570-16-4	2,022	5,136	1.875	4.763	1.000	2,540
KVC6570-4	2,022	5,136	1.875	4.763	1.000	2,540
KVC6570-4-4	2,022	5,136	1.875	4.763	1.000	2,540
KVC6570-8	2,022	5,136	1.875	4.763	1.000	2,540
KVC6570-8-4	2,022	5,136	1.875	4.763	1.000	2,540
KVC6580-4	2,022	5,136	2.000	5.080	1.000	2,540
KVC6580-8	2,022	5,136	2.000	5.080	1.000	2,540
KVC6590-4-4	2,022	5,136	2.250	5.715	1.000	2,540
KVC6590-8-4	2,022	5,136	2.250	5.715	1.000	2,540
KVC6581-4	2,022	5,136	2.000	5.080	1.125	2,858
KVC6582-4	2,022	5,136	2.000	5.080	1.250	3,175
KVC6610-16	2,025	5,144	1.000	2.540	0,375	0,953
KVC6610-16-4	2,025	5,144	1.000	2.540	0,375	0,953
KVC6610-4	2,025	5,144	1.000	2.540	0,375	0,953
KVC6610-4-4	2,025	5,144	1.000	2.540	0,375	0,953
KVC6610-8	2,025	5,144	1.000	2.540	0,375	0,953
KVC6610-8-4	2,025	5,144	1.000	2.540	0,375	0,953
KVC6630-16	2,025	5,144	1.250	3.175	0,500	1,270
KVC6630-16-4	2,025	5,144	1.250	3.175	0,500	1,270
KVC6630-4	2,025	5,144	1.250	3.175	0,500	1,270
KVC6630-4-4	2,025	5,144	1.250	3.175	0,500	1,270
KVC6630-8	2,025	5,144	1.250	3.175	0,500	1,270
KVC6630-8-4	2,025	5,144	1.250	3.175	0,500	1,270
KVC6640-4	2,025	5,144	1.500	3.810	0,531	1,349
KVC6640-8	2,025	5,144	1.500	3.810	0,531	1,349
KVC6660-4	2,025	5,144	1.750	4.445	0,562	1,427
KVC6660-8	2,025	5,144	1.750	4.445	0,562	1,427
KVC6660-8-4	2,025	5,144	1.750	4.445	0,562	1,427
KVC6650-16	2,025	5,144	1.625	4.128	0,750	1,905
KVC6650-16-4	2,025	5,144	1.625	4.128	0,750	1,905
KVC6650-4	2,025	5,144	1.625	4.128	0,750	1,905
KVC6650-4-4	2,025	5,144	1.625	4.128	0,750	1,905
KVC6650-8	2,025	5,144	1.625	4.128	0,750	1,905
KVC6650-8-4	2,025	5,144	1.625	4.128	0,750	1,905
KVC6667-4-3	2,025	5,144	2.000	5.080	0,875	2,223
KVC6667-8	2,025	5,144	2.000	5.080	0,875	2,223
KVC6670-16	2,025	5,144	2.000	5.080	1.125	2,858
KVC6670-16-4	2,025	5,144	2.000	5.080	1.125	2,858
KVC6670-4	2,025	5,144	2.000	5.080	1.125	2,858
KVC6670-4-4	2,025	5,144	2.000	5.080	1.125	2,858
KVC6670-8	2,025	5,144	2.000	5.080	1.125	2,858
KVC6670-8-4	2,025	5,144	2.000	5.080	1.125	2,858
KVC6700-16	2,035	5,169	1.250	3.175	0,375	0,953
KVC6700-16-4	2,035	5,169	1.250	3.175	0,375	0,953
KVC6700-4	2,035	5,169	1.250	3.175	0,375	0,953
KVC6700-4-4	2,035	5,169	1.250	3.175	0,375	0,953
KVC6700-8	2,035	5,169	1.250	3.175	0,375	0,953
KVC6700-8-4	2,035	5,169	1.250	3.175	0,375	0,953
KVC6710-16	2,035	5,169	1.250	3.175	0,500	1,270
KVC6710-16-4	2,035	5,169	1.250	3.175	0,500	1,270

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC6710-4	2,035	5,169	1.250	3.175	0,500	1,270
KVC6710-4-4	2,035	5,169	1.250	3.175	0,500	1,270
KVC6710-8	2,035	5,169	1.250	3.175	0,500	1,270
KVC6710-8-4	2,035	5,169	1.250	3.175	0,500	1,270
KVC6719-4	2,035	5,169	1.750	4.445	0,570	1,448
KVC6719-8	2,035	5,169	1.750	4.445	0,570	1,448
KVC6730-16	2,035	5,169	1.875	4.763	0,750	1,905
KVC6730-16-4	2,035	5,169	1.875	4.763	0,750	1,905
KVC6730-4	2,035	5,169	1.875	4.763	0,750	1,905
KVC6730-4-4	2,035	5,169	1.875	4.763	0,750	1,905
KVC6730-8	2,035	5,169	1.875	4.763	0,750	1,905
KVC6730-8-4	2,035	5,169	1.875	4.763	0,750	1,905
KVC6757-4	2,035	5,169	2.530	6.426	0,800	2,032
KVC6750-16	2,035	5,169	2.000	5.080	1.000	2.540
KVC6750-16-4	2,035	5,169	2.000	5.080	1.000	2.540
KVC6750-4	2,035	5,169	2.000	5.080	1.000	2.540
KVC6750-4-4	2,035	5,169	2.000	5.080	1.000	2.540
KVC6750-8	2,035	5,169	2.000	5.080	1.000	2.540
KVC6750-8-4	2,035	5,169	2.000	5.080	1.000	2.540
KVC6755-4-4	2,035	5,169	2.250	5.715	1.000	2.540
KVC6720-4	2,035	5,169	1.750	4.445	1.250	3.175
KVC6720-8	2,035	5,169	1.750	4.445	1.250	3.175
KVC6790-16	2,045	5,194	1.250	3.175	0,375	0,953
KVC6790-4	2,045	5,194	1.250	3.175	0,375	0,953
KVC6790-8	2,045	5,194	1.250	3.175	0,375	0,953
KVC6830-16	2,071	5,260	1.500	3.810	0,375	0,953
KVC6830-4	2,071	5,260	1.500	3.810	0,375	0,953
KVC6830-8	2,071	5,260	1.500	3.810	0,375	0,953
KVC6825-8	2,071	5,260	1.125	2.858	0,563	1,430
KVC6834-4	2,071	5,260	1.750	4.445	0,750	1,905
KVC7000-4-4	2,252	5,720	2.530	6.426	1.300	3.302
KVC7000-4-D	2,252	5,720	2.530	6.426	1.300	3.302
KVC7000-8-D	2,252	5,720	2.530	6.426	1.300	3.302
KVC7530-16	2,408	6,116	1.375	3.493	0,375	0,953
KVC7530-16-4	2,408	6,116	1.375	3.493	0,375	0,953
KVC7530-4	2,408	6,116	1.375	3.493	0,375	0,953
KVC7530-4-4	2,408	6,116	1.375	3.493	0,375	0,953
KVC7530-8	2,408	6,116	1.375	3.493	0,375	0,953
KVC7530-8-4	2,408	6,116	1.375	3.493	0,375	0,953
KVC7560-8	2,408	6,116	1.625	4.128	0,375	0,953
KVC7550-16	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-16-4	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-4	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-4-4	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-4-D	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-8	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-8-4	2,408	6,116	1.500	3.810	0,500	1,270
KVC7550-8-D	2,408	6,116	1.500	3.810	0,500	1,270
KVC7510-16	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-16-4	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-4	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-4-4	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-4-D	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-8	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-8-4	2,408	6,116	1.625	4.128	0,562	1,427
KVC7510-8-D	2,408	6,116	1.625	4.128	0,562	1,427
KVC7540-4-4	2,408	6,116	1.500	3.810	0,625	1,588
KVC7568-8	2,408	6,116	1.750	4.445	0,625	1,588
KVC7570-16	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-16-4	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-32	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-4	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-4-4	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-4-D	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-8	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-8-4	2,408	6,116	1.750	4.445	0,750	1,905
KVC7570-8-D	2,408	6,116	1.750	4.445	0,750	1,905
KVC7590-4	2,408	6,116	2.125	5.398	0,750	1,905
KVC7590-8	2,408	6,116	2.125	5.398	0,750	1,905
KVC7580-16	2,408	6,116	1.875	4.763	1.000	2.540
KVC7580-4-4	2,408	6,116	1.875	4.763	1.000	2.540
KVC7580-8	2,408	6,116	1.875	4.763	1.000	2.540
KVC7580-8-4	2,408	6,116	1.875	4.763	1.000	2.540
KVC7598-4-D	2,408	6,116	2.530	6.426	1.000	2.540
KVC7600-4-D	2,408	6,116	2.500	6.350	1.300	3.302
KVC7600-8-D	2,408	6,116	2.530	6.426	1.300	3.302
KVC7601-4-D	2,408	6,116	3.250	8.255	2.100	5.334
KVC7604-4	2,475	6,287	1.625	4.128	0,500	1,270
KVC7604-8	2,475	6,287	1.625	4.128	0,500	1,270
KVC7605-12-DLP	2,475	6,287	2.530	6.426	1.250	3.175

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC7605-4-4	2,475	6,287	2.530	6.426	1.250	3.175
KVC7605-4-D	2,475	6,287	2.530	6.426	1.250	3.175
KVC7605-4-DLP	2,475	6,287	2.530	6.426	1.250	3.175
KVC7605-8-4	2,475	6,287	2.530	6.426	1.250	3.175
KVC7605-8-8-DLP	2,475	6,287	2.530	6.426	1.250	3.175
KVC7606-8-8	2,475	6,287	2.530	6.426	1.370	3.480
KVC7610-16	2,480	6,299	1.625	4.128	0,375	0,953
KVC7610-16-4	2,480	6,299	1.625	4.128	0,375	0,953
KVC7610-4	2,480	6,299	1.625	4.128	0,375	0,953
KVC7610-4-4	2,480	6,299	1.625	4.128	0,375	0,953
KVC7610-8	2,480	6,299	1.625	4.128	0,375	0,953
KVC7610-8-4	2,480	6,299	1.625	4.128	0,375	0,953
KVC7630-16	2,480	6,299	1.625	4.128	0,500	1,270
KVC7630-16-4	2,480	6,299	1.625	4.128	0,500	1,270
KVC7630-4	2,480	6,299	1.625	4.128	0,500	1,270
KVC7630-4-4	2,480	6,299	1.625	4.128	0,500	1,270
KVC7630-8	2,480	6,299	1.625	4.128	0,500	1,270
KVC7630-8-4	2,480	6,299	1.625	4.128	0,500	1,270
KVC7650-16	2,480	6,299	1.750	4.445	0,625	1,588
KVC7650-16-4	2,480	6,299	1.750	4.445	0,625	1,588
KVC7650-4	2,480	6,299	1.750	4.445	0,625	1,588
KVC7650-4-4	2,480	6,299	1.750	4.445	0,625	1,588
KVC7650-4-D	2,480	6,299	1.750	4.445	0,625	1,588
KVC7650-8	2,480	6,299	1.750	4.445	0,625	1,588
KVC7650-8-4	2,480	6,299	1.750	4.445	0,625	1,588
KVC7660-16	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-16-4	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-4	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-4-4	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-4-D	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-8	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-8-4	2,480	6,299	1.750	4.445	0,750	1,905
KVC7660-8-D	2,480	6,299	1.750	4.445	0,750	1,905
KVC7667-4	2,480	6,299	2.000	5.080	0,750	1,905
KVC7669-4	2,480	6,299	2.000	5.080	0,875	2,223
KVC7665-4	2,480	6,299	1.750	4.445	0,875	2,223
KVC7665-4-D	2,480	6,299	1.750	4.445	0,875	2,223
KVC7665-8	2,480	6,299	1.750	4.445	0,875	2,223
KVC7665-8-D	2,480	6,299	1.750	4.445	0,875	2,223
KVC7666-8	2,480	6,299	1.875	4.763	1.000	2.540
KVC76692-8	2,480	6,299	2.000	5.080	1.100	2.794
KVC7640-4	2,480	6,299	2.200	5.588	1.250	3.175
KVC7640-4-4	2,480	6,299	2.200	5.588	1.250	3.175
KVC7640-4-D	2,480	6,299	2.200	5.588	1.250	3.175
KVC7640-8	2,480	6,299	2.200	5.588	1.250	3.175
KVC7640-8-D	2,480	6,299	2.200	5.588	1.250	3.175
KVC7670-16	2,485	6,312	1.750	4.445	0,375	0,953
KVC7670-16-4	2,485	6,312	1.750	4.445	0,375	0,953
KVC7670-4	2,485	6,312	1.750	4.445	0,375	0,953
KVC7670-4-4	2,485	6,312	1.750	4.445	0,375	0,953
KVC7670-8	2,485	6,312	1.750	4.445	0,375	0,953
KVC7670-8-4	2,485	6,312	1.750	4.445	0,375	0,953
KVC7690-16	2,485	6,312	1.750	4.445	0,500	1,270
KVC7690-16-4	2,485	6,312	1.750	4.445	0,500	1,270
KVC7690-4	2,485	6,312	1.750	4.445	0,500	1,270
KVC7690-4-4	2,485	6,312	1.750	4.445	0,500	1,270
KVC7690-8	2,485	6,312	1.750	4.445	0,500	1,270
KVC7690-8-4	2,485	6,312	1.750	4.445	0,500	1,270
KVC7710-16	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-16-4	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-4	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-4-4	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-4-D	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-8	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-8-4	2,485	6,312	1.750	4.445	0,625	1,588
KVC7710-8-D	2,485	6,312	1.750	4.445	0,625	1,588
KVC7720-16	2,485	6,312	1.750	4.445	0,750	1,905
KVC7720-16-4	2,485	6,312	1.750	4.445	0,750	1,905
KVC7720-4	2,485	6,312	1.750	4.445	0,750	1,905
KVC7720-4-4	2,485	6,312	1.750	4.445	0,750	1,905
KVC7720-8	2,485	6,312	1.750	4.445	0,750	1,905
KVC7720-8-4	2,485	6,312	1.750	4.445	0,750	1,905
KVC7730-16	2,485	6,312	1.750	4.445	0,875	2,223
KVC7730-16-4	2,485	6,312	1.750	4.445	0,875	2,223
KVC7730-4	2,485	6,312	1.750	4.445	0,875	2,223
KVC7730-4-4	2,485	6,312	1.750	4.445	0,875	2,223
KVC7730-8	2,485	6,312	1.750	4.445	0,875	2,223
KVC7730-8-4	2,485	6,312	1.750	4.445	0,875	2,223
KVC7735-4-D	2,485	6,312	2.100	5.334	1.000	2.540
KVC7736-4-4	2,485	6,312	2.250	5.715	1.000	2.540

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC7762-4-D	2,485	6,312	2.750	6.985	1.000	2.540
KVC7762-8-4	2,485	6,312	2.750	6.985	1.000	2.540
KVC7733-16	2,485	6,312	2.000	5.080	1.250	3.175
KVC7733-16-D	2,485	6,312	2.000	5.080	1.250	3.175
KVC7740-4	2,485	6,312	2.250	5.715	1.250	3.175
KVC7740-4-D	2,485	6,312	2.250	5.715	1.250	3.175
KVC7740-8	2,485	6,312	2.250	5.715	1.250	3.175
KVC7740-8-D	2,485	6,312	2.250	5.715	1.250	3.175
KVC7760-4	2,485	6,312	2.500	6.350	1.300	3.302
KVC7760-8-4	2,485	6,312	2.500	6.350	1.300	3.302
KVC7760-8-D	2,485	6,312	2.500	6.350	1.300	3.302
KVC7750-8-8-D	2,485	6,312	2.750	6.985	1.300	3.302
KVC7751-4	2,485	6,312	2.750	6.985	1.500	3.810
KVC7769-8	2,500	6,350	1.375	3.493	0,300	0,762
KVC7770-16	2,500	6,350	1.625	4.128	0,500	1,270
KVC7770-16-4	2,500	6,350	1.625	4.128	0,500	1,270
KVC7770-4	2,500	6,350	1.625	4.128	0,500	1,270
KVC7770-4-4	2,500	6,350	1.625	4.128	0,500	1,270
KVC7770-8	2,500	6,350	1.625	4.128	0,500	1,270
KVC7770-8-4	2,500	6,350	1.625	4.128	0,500	1,270
KVC7780-16	2,500	6,350	1.750	4.445	0,750	1,905
KVC7780-16-4	2,500	6,350	1.750	4.445	0,750	1,905
KVC7780-4	2,500	6,350	1.750	4.445	0,750	1,905
KVC7780-4-4	2,500	6,350	1.750	4.445	0,750	1,905
KVC7780-8	2,500	6,350	1.750	4.445	0,750	1,905
KVC7780-8-4	2,500	6,350	1.750	4.445	0,750	1,905
KVC7780-8-D	2,500	6,350	1.750	4.445	0,750	1,905
KVC7785-4	2,500	6,350	2.000	5.080	1.000	2.540
KVC7786-4-D	2,500	6,350	2.250	5.715	1.250	3.175
KVC7786-8	2,500	6,350	2.250	5.715	1.250	3.175
KVC77863-4-D	2,500	6,350	2.750	6.985	1.250	3.175
KVC77868-8	2,510	6,375	1.625	4.128	0,450	1,143
KVC77867-4	2,510	6,375	1.500	3.810	0,500	1,270
KVC77869-4-4	2,510	6,375	2.750	6.985	1.360	3.454
KVC7787-8	2,525	6,414	1.125	2.858	0,400	1,016
KVC7790-4	2,525	6,414	1.750	4.445	0,400	1,016
KVC7790-8	2,525	6,414	1.750	4.445	0,400	1,016
KVC7788-4	2,525	6,414	1.625	4.128	0,575	1,461
KVC7788-8	2,525	6,414	1.625	4.128	0,575	1,461
KVC7810-16	2,525	6,414	1.750	4.445	0,625	1,588
KVC7810-16-4	2,525	6,414	1.750	4.445	0,625	1,588
KVC7810-4	2,525	6,414	1.750	4.445	0,625	1,588
KVC7810-4-4	2,525	6,414	1.750	4.445	0,625	1,588
KVC7810-8	2,525	6,414	1.750	4.445	0,625	1,588
KVC7810-8-4	2,525	6,414	1.750	4.445	0,625	1,588
KVC7830-4	2,525	6,414	1.750	4.445	1.000	2.540
KVC7835-4	2,525	6,414	2.000	5.080	1.000	2.540
KVC7835-4-4	2,525	6,414	2.000	5.080	1.000	2.540
KVC7835-4-D	2,525	6,414	2.000	5.080	1.000	2.540
KVC7835-8-4	2,525	6,414	2.000	5.080	1.000	2.540
KVC7840-4	2,525	6,414	2.500	6.350	1.000	2.540
KVC7840-4-D	2,525	6,414	2.500	6.350	1.000	2.540
KVC7843-8	2,540	6,452	1.750	4.445	0,580	1,473
KVC7841-8-4	2,540	6,452	1.500	3.810	0,750	1,905
KVC7847-4	2,540	6,452	2.000	5.080	1.000	2.540
KVC7847-4-4	2,540	6,452	2.000	5.080	1.000	2.540
KVC7847-4-D	2,540	6,452	2.000	5.080	1.000	2.540
KVC7847-8	2,540	6,452	2.000	5.080	1.000	2.540
KVC7847-8-4	2,540	6,452	2.000	5.080	1.000	2.540
KVC78478-8-4	2,540	6,452	2.875	7.303	1.125	2.858
KVC78480-4-4	2,540	6,452	3.000	7.620	1.300	3.302
KVC78480-4-8	2,540	6,452	3.000	7.620	1.300	3.302
KVC78480-4-8-D	2,540	6,452	3.000	7.620	1.300	3.302
KVC78480-4-D	2,540	6,452	3.000	7.620	1.300	3.302
KVC78475-4-D	2,540	6,452	2.500	6.350	1.500	3.810
KVC78481-4	2,548	6,472	1.375	3.493	0,300	0,762
KVC78481-8	2,548	6,472	1.375	3.493	0,300	0,762
KVC78482-4	2,548	6,472	1.375	3.493	0,400	1,016
KVC78483-8	2,548	6,472	1.500	3.810	0,438	1,113
KVC78484-8	2,548	6,472	1.750	4.445	0,575	1,461
KVC7854-4-4	2,569	6,525	1.875	4.763	0,437	1,110
KVC78488-8	2,569	6,525	1.250	3.175	0,500	1,270
KVC7849-4	2,569	6,525	1.500	3.810	0,500	1,270
KVC7849-4-D	2,569	6,525	1.500	3.810	0,500	1,270
KVC7849-8	2,569	6,525	1.500	3.810	0,500	1,270
KVC7862-4-4	2,569	6,525	2.250	5.715	0,500	1,270
KVC7856-8	2,569	6,525	1.875	4.763	0,580	1,473
KVC78623-8	2,569	6,525	2.530	6.426	0,650	1,651
KVC7850-16	2,569	6,525	1.750	4.445	0,750	1,905
KVC7850-16-4	2,569	6,525	1.750	4.445	0,750	1,905

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC7850-4	2,569	6,525	1.750	4.445	0,750	1,905
KVC7850-4-4	2,569	6,525	1.750	4.445	0,750	1,905
KVC7850-4-D	2,569	6,525	1.750	4.445	0,750	1,905
KVC7850-8	2,569	6,525	1.750	4.445	0,750	1,905
KVC7850-8-4	2,569	6,525	1.750	4.445	0,750	1,905
KVC7850-8-D	2,569	6,525	1.750	4.445	0,750	1,905
KVC78628-4	2,569	6,525	2.625	6.668	0,875	2,223
KVC7860-4	2,569	6,525	1.875	4.763	1.000	2.540
KVC7860-8	2,569	6,525	1.875	4.763	1.000	2.540
KVC7863-8	2,618	6,650	1.125	2.858	0,375	0,953
KVC7890-16	2,618	6,650	1.500	3.810	0,375	0,953
KVC7890-16-4	2,618	6,650	1.500	3.810	0,375	0,953
KVC7890-4	2,618	6,650	1.500	3.810	0,375	0,953
KVC7890-4-4	2,618	6,650	1.500	3.810	0,375	0,953
KVC7890-8	2,618	6,650	1.500	3.810	0,375	0,953
KVC7890-8-4	2,618	6,650	1.500	3.810	0,375	0,953
KVC7898-8	2,618	6,650	2.000	5.080	0,375	0,953
KVC78982-4-4	2,618	6,650	2.000	5.080	0,460	1,168
KVC7895-8	2,618	6,650	1.625	4.128	0,500	1,270
KVC7893-8	2,618	6,650	1.500	3.810	0,562	1,427
KVC7870-8	2,618	6,650	1.875	4.763	1.000	2.540
KVC7900-8	2,800	7,112	1.750	4.445	1.500	3.810
KVC7909-8 LO	2,900	7,366	1.700	4.318	0,290	0,737
KVC7910-4 LO	2,900	7,366	1.875	4.763	0,406	1,031
KVC7910-8 LO	2,900	7,366	1.875	4.763	0,406	1,031
KVC7920-16	2,900	7,366	2.000	5.080	0,500	1,270
KVC7920-16-4	2,900	7,366	2.000	5.080	0,500	1,270
KVC7920-4	2,900	7,366	2.000	5.080	0,500	1,270
KVC7920-4-4	2,900	7,366	2.000	5.080	0,500	1,270
KVC7920-8	2,900	7,366	2.000	5.080	0,500	1,270
KVC7920-8-4	2,900	7,366	2.000	5.080	0,500	1,270
KVC7940-16	2,935	7,455	1.750	4.445	0,375	0,953
KVC7940-16-4	2,935	7,455	1.750	4.445	0,375	0,953
KVC7940-4	2,935	7,455	1.750	4.445	0,375	0,953
KVC7940-4-4	2,935	7,455	1.750	4.445	0,375	0,953
KVC7940-8	2,935	7,455	1.750	4.445	0,375	0,953
KVC7940-8-4	2,935	7,455	1.750	4.445	0,375	0,953
KVC7950-16	2,935	7,455	1.750	4.445	0,500	1,270
KVC7950-16-4	2,935	7,455	1.750	4.445	0,500	1,270
KVC7950-4	2,935	7,455	1.750	4.445	0,500	1,270
KVC7950-4-4	2,935	7,455	1.750	4.445	0,500	1,270
KVC7950-8	2,935	7,455	1.750	4.445	0,500	1,270
KVC7950-8-4	2,935	7,455	1.750	4.445	0,500	1,270
KVC7960-16	2,935	7,455	1.875	4.763	0,625	1,588
KVC7960-16-4	2,935	7,455	1.875	4.763	0,625	1,588
KVC7960-4	2,935	7,455	1.875	4.763	0,625	1,588
KVC7960-4-4	2,935	7,455	1.875	4.763	0,625	1,588
KVC7960-8	2,935	7,455	1.875	4.763	0,625	1,588
KVC7960-8-4	2,935	7,455	1.875	4.763	0,625	1,588
KVC7993-8	2,969	7,541	1.500	3.810	0,375	0,953
KVC7994-8	2,969	7,541	1.500	3.810	0,625	1,588
KVC7998-8	2,969	7,541	2.000	5.080	1.000	2.540
KVC8000-8	2,976	7,559	0,900	2,286	0,300	0,762
KVC8400-8	2,988	7,590	1.500	3.810	0,375	0,953
KVC8412-8	2,988	7,590	1.700	4.318	0,430	1,092
KVC8410-4	2,988	7,590	1.500	3.810	0,500	1,270
KVC8410-8	2,988	7,590	1.500	3.810	0,500	1,270
KVC84138-8	2,988	7,590	2.000	5.080	0,600	1,524
KVC8414-8	2,988	7,590	2.000	5.080	0,750	1,905
KVC8415-4	2,988	7,590	2.250	5.715	1.125	2.858
KVC8510-16	3,000	7,620	1.000	2.540	0,375	0,953
KVC8510-16-4	3,000	7,620	1.000	2.540	0,375	0,953
KVC8510-4	3,000	7,620	1.000	2.540	0,375	0,953
KVC8510-4-4	3,000	7,620	1.000	2.540	0,375	0,953
KVC8510-8	3,000	7,620	1.000	2.540	0,375	0,953
KVC8510-8-4	3,000	7,620	1.000	2.540	0,375	0,953
KVC8530-16	3,000	7,620	1.500	3.810	0,375	0,953
KVC8530-16-4	3,000	7,620	1.500	3.810	0,375	0,953
KVC8530-4	3,000	7,620	1.500	3.810	0,375	0,953
KVC8530-4-4	3,000	7,620	1.500	3.810	0,375	0,953
KVC8530-8	3,000	7,620	1.500	3.810	0,375	0,953
KVC8530-8-4	3,000	7,620	1.500	3.810	0,375	0,953
KVC8539-4	3,000	7,620	1.500	3.810	0,450	1,143
KVC8540-16	3,000	7,620	1.500	3.810	0,500	1,270
KVC8540-16-4	3,000	7,620	1.500	3.810	0,500	1,270
KVC8540-4	3,000	7,620	1.500	3.810	0,500	1,270
KVC8540-4-4	3,000	7,620	1.500	3.810	0,500	1,270
KVC8540-8	3,000	7,620	1.500	3.810	0,500	1,270
KVC8540-8-4	3,000	7,620	1.500	3.810	0,500	1,270
KVC8547-8	3,000	7,620	1.500	3.810	0,625	1,588

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC8550-16	3,000	7,620	1.750	4.445	0,625	1,588
KVC8550-16-4	3,000	7,620	1.750	4.445	0,625	1,588
KVC8550-4	3,000	7,620	1.750	4.445	0,625	1,588
KVC8550-4-4	3,000	7,620	1.750	4.445	0,625	1,588
KVC8550-8	3,000	7,620	1.750	4.445	0,625	1,588
KVC8550-8-4	3,000	7,620	1.750	4.445	0,625	1,588
KVC8572-8	3,000	7,620	2.250	5.715	0,625	1,588
KVC8520-8	3,000	7,620	1.125	2.858	0,750	1,905
KVC8560-16	3,000	7,620	1.875	4.763	0,750	1,905
KVC8560-16-4	3,000	7,620	1.875	4.763	0,750	1,905
KVC8560-4	3,000	7,620	1.875	4.763	0,750	1,905
KVC8560-4-4	3,000	7,620	1.875	4.763	0,750	1,905
KVC8560-8	3,000	7,620	1.875	4.763	0,750	1,905
KVC8560-8-4	3,000	7,620	1.875	4.763	0,750	1,905
KVC8573-4	3,000	7,620	2.250	5.715	0,750	1,905
KVC8573-8	3,000	7,620	2.250	5.715	0,750	1,905
KVC8525-8	3,000	7,620	1.375	3.493	0,795	2,019
KVC8563-8	3,000	7,620	2.200	5.588	0,850	2,159
KVC8561-4	3,000	7,620	2.000	5.080	0,875	2,223
KVC8570-16	3,000	7,620	2.000	5.080	1.125	2.858
KVC8570-16-4	3,000	7,620	2.000	5.080	1.125	2.858
KVC8570-4	3,000	7,620	2.000	5.080	1.125	2.858
KVC8570-4-4	3,000	7,620	2.000	5.080	1.125	2.858
KVC8570-8	3,000	7,620	2.000	5.080	1.125	2.858
KVC8570-8-4	3,000	7,620	2.000	5.080	1.125	2.858
KVC8578-8	3,000	7,620	2.250	5.715	1.300	3.302
KVC8580-4	3,005	7,633	1.250	3.175	0,300	0,762
KVC8580-8	3,005	7,633	1.250	3.175	0,300	0,762
KVC8562-16	3,005	7,633	1.250	3.175	0,375	0,953
KVC8582-16	3,005	7,633	1.250	3.175	0,375	0,953
KVC8590-16	3,005	7,633	1.500	3.810	0,375	0,953
KVC8590-16-4	3,005	7,633	1.500	3.810	0,375	0,953
KVC8590-4	3,005	7,633	1.500	3.810	0,375	0,953
KVC8590-4-4	3,005	7,633	1.500	3.810	0,375	0,953
KVC8590-8	3,005	7,633	1.500	3.810	0,375	0,953
KVC8590-8-4	3,005	7,633	1.500	3.810	0,375	0,953
KVC8610-16	3,005	7,633	1.500	3.810	0,500	1,270
KVC8610-16-4	3,005	7,633	1.500	3.810	0,500	1,270
KVC8610-4	3,005	7,633	1.500	3.810	0,500	1,270
KVC8610-4-4	3,005	7,633	1.500	3.810	0,500	1,270
KVC8610-8	3,005	7,633	1.500	3.810	0,500	1,270
KVC8610-8-4	3,005	7,633	1.500	3.810	0,500	1,270
KVC8665-8	3,005	7,633	2.000	5.080	0,500	1,270
KVC8630-16	3,005	7,633	1.875	4.763	0,625	1,588
KVC8630-16-4	3,005	7,633	1.875	4.763	0,625	1,588
KVC8630-4	3,005	7,633	1.875	4.763	0,625	1,588
KVC8630-4-4	3,005	7,633	1.875	4.763	0,625	1,588
KVC8630-8	3,005	7,633	1.875	4.763	0,625	1,588
KVC8630-8-4	3,005	7,633	1.875	4.763	0,625	1,588
KVC8615-8	3,005	7,633	1.625	4.128	0,675	1,715
KVC8673-8	3,005	7,633	2.250	5.715	0,688	1,748
KVC8650-16	3,005	7,633	1.875	4.763	0,750	1,905
KVC8650-16-4	3,005	7,633	1.875	4.763	0,750	1,905
KVC8650-4	3,005	7,633	1.875	4.763	0,750	1,905
KVC8650-4-4	3,005	7,633	1.875	4.763	0,750	1,905
KVC8650-8	3,005	7,633	1.875	4.763	0,750	1,905
KVC8650-8-4	3,005	7,633	1.875	4.763	0,750	1,905
KVC8668-8	3,005	7,633	2.000	5.080	0,750	1,905
KVC8670-16	3,005	7,633	2.000	5.080	1.000	2.540
KVC8670-16-4	3,005	7,633	2.000	5.080	1.000	2.540
KVC8670-2	3,005	7,633	2.000	5.080	1.000	2.540
KVC8670-4	3,005	7,633	2.000	5.080	1.000	2.540
KVC8670-4-4	3,005	7,633	2.000	5.080	1.000	2.540
KVC8670-8	3,005	7,633	2.000	5.080	1.000	2.540
KVC8670-8-4	3,005	7,633	2.000	5.080	1.000	2.540
KVC8690-8	3,010	7,645	1.000	2.540	0,281	0,714
KVC8710-16	3,010	7,645	1.500	3.810	0,375	0,953
KVC8710-16-4	3,010	7,645	1.500	3.810	0,375	0,953
KVC8710-4	3,010	7,645	1.500	3.810	0,375	0,953
KVC8710-4-4	3,010	7,645	1.500	3.810	0,375	0,953
KVC8710-8	3,010	7,645	1.500	3.810	0,375	0,953
KVC8710-8-4	3,010	7,645	1.500	3.810	0,375	0,953
KVC8730-16	3,010	7,645	1.500	3.810	0,500	1,270
KVC8730-16-4	3,010	7,645	1.500	3.810	0,500	1,270
KVC8730-4	3,010	7,645	1.500	3.810	0,500	1,270
KVC8730-4-4	3,010	7,645	1.500	3.810	0,500	1,270
KVC8730-8	3,010	7,645	1.500	3.810	0,500	1,270
KVC8730-8-4	3,010	7,645	1.500	3.810	0,500	1,270
KVC8750-4	3,010	7,645	1.875	4.763	0,625	1,588
KVC8750-4-4	3,010	7,645	1.875	4.763	0,625	1,588

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC8770-16	3,010	7,645	2.000	5.080	0,750	1,905
KVC8770-16-4	3,010	7,645	2.000	5.080	0,750	1,905
KVC8770-4	3,010	7,645	2.000	5.080	0,750	1,905
KVC8770-8	3,010	7,645	2.000	5.080	0,750	1,905
KVC8770-8-4	3,010	7,645	2.000	5.080	0,750	1,905
KVC8780-4	3,010	7,645	2.000	5.080	0,875	2,223
KVC8780-4-4	3,010	7,645	2.000	5.080	0,875	2,223
KVC8780-8	3,010	7,645	2.000	5.080	0,875	2,223
KVC8781-4	3,010	7,645	2.000	5.080	1.000	2.540
KVC8790-2-D	3,010	7,645	3.000	7.620	1.000	2.540
KVC8810-16	3,018	7,666	1.500	3.810	0,375	0,953
KVC8810-16-4	3,018	7,666	1.500	3.810	0,375	0,953
KVC8810-4	3,018	7,666	1.500	3.810	0,375	0,953
KVC8810-4-4	3,018	7,666	1.500	3.810	0,375	0,953
KVC8810-8	3,018	7,666	1.500	3.810	0,375	0,953
KVC8810-8-4	3,018	7,666	1.500	3.810	0,375	0,953
KVC8820-16	3,018	7,666	1.500	3.810	0,500	1,270
KVC8820-16-4	3,018	7,666	1.500	3.810	0,500	1,270
KVC8820-4	3,018	7,666	1.500	3.810	0,500	1,270
KVC8820-4-4	3,018	7,666	1.500	3.810	0,500	1,270
KVC8820-8	3,018	7,666	1.500	3.810	0,500	1,270
KVC8820-8-4	3,018	7,666	1.500	3.810	0,500	1,270
KVC8830-16	3,018	7,666	1.875	4.763	0,625	1,588
KVC8830-16-4	3,018	7,666	1.875	4.763	0,625	1,588
KVC8830-4	3,018	7,666	1.875	4.763	0,625	1,588
KVC8830-4-4	3,018	7,666	1.875	4.763	0,625	1,588
KVC8830-8	3,018	7,666	1.875	4.763	0,625	1,588
KVC8830-8-4	3,018	7,666	1.875	4.763	0,625	1,588
KVC8860-4	3,018	7,666	2.250	5.715	0,625	1,588
KVC8860-8	3,018	7,666	2.250	5.715	0,625	1,588
KVC8850-16	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-16-4	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-4	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-4-4	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-4-D	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-8	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-8-4	3,018	7,666	2.000	5.080	0,750	1,905
KVC8850-8-D	3,018	7,666	2.000	5.080	0,750	1,905
KVC8861-8-4	3,018	7,666	2.250	5.715	0,750	1,905
KVC8880-8	3,018	7,666	2.500	6.350	0,750	1,905
KVC8840-4	3,018	7,666	2.000	5.080	1.000	2.540
KVC8840-4-3	3,018	7,666	2.000	5.080	1.000	2.540
KVC8840-4-4	3,018	7,666	2.000	5.080	1.000	2.540
KVC8840-8	3,018	7,666	2.000	5.080	1.000	2.540
KVC8840-8-4	3,018	7,666	2.000	5.080	1.000	2.540
KVC8865-4	3,018	7,666	2.250	5.715	1.000	2.540
KVC8884-4-2-D	3,018	7,666	2.500	6.350	1.125	2.858
KVC8884-8-4	3,018	7,666	2.500	6.350	1.125	2.858
KVC8888-4-D	3,018	7,666	3.000	7.620	1.250	3.175
KVC8885-4	3,018	7,666	2.500	6.350	1.280	3.251
KVC8885-4-4	3,018	7,666	2.500	6.350	1.280	3.251
KVC8885-4-D	3,018	7,666	2.500	6.350	1.280	3.251
KVC8885-8	3,018	7,666	2.500	6.350	1.280	3.251
KVC8887-4	3,018	7,666	2.250	5.715	1.432	3.637
KVC8887-4-4	3,018	7,666	2.250	5.715	1.432	3.637
KVC8888-2-4	3,018	7,666	3.000	7.620	1.500	3.810
KVC8889-4-DLP	3,018	7,666	3.250	8.255	1.750	4.445
KVC8889-4	3,018	7,666	3.000	7.620	1.800	4.572
KVC8889-4-D	3,018	7,666	3.000	7.620	1.800	4.572
KVC8889-8-DLP	3,018	7,666	3.000	7.620	2.000	5.080
KVC8890-16	3,025	7,684	1.500	3.810	0,375	0,953
KVC8890-16-4	3,025	7,684	1.500	3.810	0,375	0,953
KVC8890-4	3,025	7,684	1.500	3.810	0,375	0,953
KVC8890-4-4	3,025	7,684	1.500	3.810	0,375	0,953
KVC8890-8	3,025	7,684	1.500	3.810	0,375	0,953
KVC8890-8-4	3,025	7,684	1.500	3.810	0,375	0,953
KVC8910-16	3,025	7,684	1.500	3.810	0,500	1,270
KVC8910-16-4	3,025	7,684	1.500	3.810	0,500	1,270
KVC8910-4	3,025	7,684	1.500	3.810	0,500	1,270
KVC8910-4-4	3,025	7,684	1.500	3.810	0,500	1,270
KVC8910-8	3,025	7,684	1.500	3.810	0,500	1,270
KVC8910-8-4	3,025	7,684	1.500	3.810	0,500	1,270
KVC8920-16	3,025	7,684	1.625	4.128	0,500	1,270
KVC8920-8	3,025	7,684	1.625	4.128	0,500	1,270
KVC8911-8	3,025	7,684	1.500	3.810	0,580	1,473
KVC8930-16	3,025	7,684	1.875	4.763	0,625	1,588
KVC8930-16-4	3,025	7,684	1.875	4.763	0,625	1,588
KVC8930-4	3,025	7,684	1.875	4.763	0,625	1,588
KVC8930-4-4	3,025	7,684	1.875	4.763	0,625	1,588
KVC8930-8	3,025	7,684	1.875	4.763	0,625	1,588

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC8930-8-4	3,025	7,684	1.875	4.763	0,625	1,588
KVC89488-4	3,025	7,684	3.000	7.620	0,625	1,588
KVC8945-4-D	3,025	7,684	2.500	6.350	0,700	1,778
KVC8925-16-4	3,025	7,684	1.750	4.445	0,750	1,905
KVC8937-4	3,025	7,684	2.000	5.080	0,750	1,905
KVC8937-8	3,025	7,684	2.000	5.080	0,750	1,905
KVC8940-16	3,025	7,684	2.000	5.080	1.000	2.540
KVC8940-16-4	3,025	7,684	2.000	5.080	1.000	2.540
KVC8940-4	3,025	7,684	2.000	5.080	1.000	2.540
KVC8940-4-4	3,025	7,684	2.000	5.080	1.000	2.540
KVC8940-8	3,025	7,684	2.000	5.080	1.000	2.540
KVC8940-8-4	3,025	7,684	2.000	5.080	1.000	2.540
KVC8948-8	3,025	7,684	2.500	6.350	1.125	2.858
KVC8950-16	3,030	7,696	1.500	3.810	0,500	1,270
KVC8950-16-4	3,030	7,696	1.500	3.810	0,500	1,270
KVC8950-4	3,030	7,696	1.500	3.810	0,500	1,270
KVC8950-4-4	3,030	7,696	1.500	3.810	0,500	1,270
KVC8950-8	3,030	7,696	1.500	3.810	0,500	1,270
KVC8950-8-4	3,030	7,696	1.500	3.810	0,500	1,270
KVC8960-16	3,030	7,696	1.500	3.810	0,580	1,473
KVC8960-16-4	3,030	7,696	1.500	3.810	0,580	1,473
KVC8960-4	3,030	7,696	1.500	3.810	0,580	1,473
KVC8960-4-4	3,030	7,696	1.500	3.810	0,580	1,473
KVC8960-8	3,030	7,696	1.500	3.810	0,580	1,473
KVC8960-8-4	3,030	7,696	1.500	3.810	0,580	1,473
KVC8970-16	3,030	7,696	1.875	4.763	0,750	1,905
KVC8970-16-4	3,030	7,696	1.875	4.763	0,750	1,905
KVC8970-4	3,030	7,696	1.875	4.763	0,750	1,905
KVC8970-4-4	3,030	7,696	1.875	4.763	0,750	1,905
KVC8970-8	3,030	7,696	1.875	4.763	0,750	1,905
KVC8970-8-4	3,030	7,696	1.875	4.763	0,750	1,905
KVC8980-16	3,030	7,696	2.000	5.080	1.000	2.540
KVC8980-16-4	3,030	7,696	2.000	5.080	1.000	2.540
KVC8980-4	3,030	7,696	2.000	5.080	1.000	2.540
KVC8980-4-4	3,030	7,696	2.000	5.080	1.000	2.540
KVC8980-8	3,030	7,696	2.000	5.080	1.000	2.540
KVC8980-8-4	3,030	7,696	2.000	5.080	1.000	2.540
KVC8996-8	3,030	7,696	1.500	3.810	0,625	1,588
KVC9000-8	3,030	7,696	1.875	4.763	0,750	1,905
KVC9023-4-D	3,181	8,080	3.000	7.620	0,750	1,905
KVC9020-4	3,181	8,080	2.530	6.426	0,800	2,032
KVC9110-4	3,895	9,893	0,905	2,299	0,375	0,953
KVC9110-8	3,895	9,893	0,905	2,299	0,375	0,953
KVC9130-4	3,895	9,893	1.420	3.607	0,625	1,588
KVC9130-8	3,895	9,893	1.420	3.607	0,625	1,588
KVC9173-4	3,895	9,893	1.750	4.445	0,625	1,588
KVC9175-8	3,895	9,893	2.000	5.080	0,625	1,588
KVC9190-4	3,895	9,893	2.204	5.598	0,625	1,588
KVC9190-8	3,895	9,893	2.204	5.598	0,625	1,588
KVC9150-4	3,895	9,893	1.300	3.302	0,670	1,702
KVC9150-8	3,895	9,893	1.300	3.302	0,670	1,702
KVC9198-4	3,895	9,893	2.750	6.985	0,688	1,748
KVC9198-8	3,895	9,893	2.750	6.985	0,688	1,748
KVC9197-8	3,895	9,893	2.530	6.426	0,875	2,223
KVC9170-4	3,895	9,893	1.700	4.318	0,945	2,400
KVC9170-8	3,895	9,893	1.700	4.318	0,945	2,400
KVC9220-8	3,901	9,909	1.125	2.858	0,281	0,714
KVC9230-16	3,901	9,909	1.000	2.540	0,375	0,953
KVC9230-4	3,901	9,909	1.000	2.540	0,375	0,953
KVC9230-8	3,901	9,909	1.000	2.540	0,375	0,953
KVC9243-8	3,901	9,909	1.125	2.858	0,375	0,953
KVC9252-8	3,901	9,909	1.375	3.493	0,375	0,953
KVC9240-4	3,901	9,909	1.000	2.540	0,500	1,270
KVC9240-8	3,901	9,909	1.000	2.540	0,500	1,270
KVC9277-8	3,901	9,909	1.500	3.810	0,500	1,270
KVC9270-16	3,901	9,909	1.420	3.607	0,625	1,588
KVC9270-4	3,901	9,909	1.420	3.607	0,625	1,588
KVC9270-8	3,901	9,909	1.420	3.607	0,625	1,588
KVC9310-4	3,901	9,909	2.200	5.588	0,625	1,588
KVC9310-8	3,901	9,909	2.200	5.588	0,625	1,588
KVC9250-16	3,901	9,909	1.300	3.302	0,670	1,702
KVC9250-4	3,901	9,909	1.300	3.302	0,670	1,702
KVC9250-8	3,901	9,909	1.300	3.302	0,670	1,702
KVC9260-16	3,901	9,909	1.390	3.531	0,750	1,905
KVC9260-8	3,901	9,909	1.390	3.531	0,750	1,905
KVC9280-16	3,901	9,909	1.500	3.810	0,750	1,905
KVC9280-4	3,901	9,909	1.500	3.810	0,750	1,905
KVC9280-8	3,901	9,909	1.500	3.810	0,750	1,905
KVC9300-4	3,901	9,909	2.000	5.080	0,750	1,905
KVC9300-8	3,901	9,909	2.000	5.080	0,750	1,905

Article Nr.	Inner Ø/in	Inner Ø/cm	Coil / in	Coil / cm	Wind / in	Wind / cm
KVC9330-8	3,901	9,909	2.500	6.350	0,750	1,905
KVC9290-4	3,901	9,909	1.700	4.318	0,945	2,400
KVC9290-8	3,901	9,909	1.700	4.318	0,945	2,400
KVC9302-16	3,901	9,909	2.000	5.080	0,945	2,400
KVC9320-4	3,901	9,909	2.375	6.033	1.000	2.540
KVC9320-8	3,901	9,909	2.375	6.033	1.000	2.540
KVC9332-8	3,910	9,931	1.125	2.858	0,438	1,113
KVC9334-4	3,910	9,931	1.125	2.858	0,625	1,588
KVC9334-8	3,910	9,931	1.125	2.858	0,625	1,588
KVC9336-8	3,910	9,931	2.530	6.426	0,625	1,588
KVC93412-4	3,914	9,942	1.500	3.810	0,500	1,270
KVC9341-8	3,914	9,942	1.420	3.607	0,625	1,588
KVC9342-4	3,914	9,942	1.875	4.763	0,635	1,613
KVC9344-8	3,914	9,942	2.530	6.426	0,675	1,715
KVC9346-8	3,914	9,942	2.750	6.985	0,800	2,032
KVC9355-8	3,925	9,970	1.420	3.607	0,625	1,588
KVC9370-8	3,937	10,000	1.000	2.540	0,310	0,787
KVC9380-4	3,937	10,000	2.000	5.080	0,650	1,651
KVC9380-8	3,937	10,000	2.000	5.080	0,650	1,651
KVC9390-8	3,937	10,000	3.000	7.620	0,750	1,905
KVC9385-8	3,937	10,000	2.250	5.715	0,825	2,096
KVC9427-8	3,965	10,071	3.000	7.620	0,750	1,905
KVC9400-4	3,965	10,071	2.250	5.715	1.062	2.697
KVC9400-8	3,965	10,071	2.250	5.715	1.062	2.697
KVC9420-4	3,965	10,071	2.530	6.426	1.062	2.697
KVC9420-8	3,965	10,071	2.530	6.426	1.062	2.697
KVC9428-8	3,965	10,071	3.000	7.620	1.125	2.858
KVC9425-4-4	3,965	10,071	2.750	6.985	1.500	3.810
KVC9425-4-D	3,965	10,071	2.750	6.985	1.500	3.810
KVC9440-8	3,980	10,109	1.250	3.175	0,310	0,787
KVC9445-8	3,980	10,109	1.750	4.445	0,875	2,223
KVC9498-8	4,023	10,218	2.000	5.080	0,573	1,455
KVC9485-8	4,023	10,218	1.500	3.810	0,688	1,748
KVC9525-8	4,023	10,218	2.250	5.715	0,750	1,905
KVC9532-8	4,023	10,218	2.530	6.426	0,750	1,905
KVC9538-8	4,023	10,218	2.750	6.985	0,750	1,905
KVC9540-8	4,023	10,218	3.000	7.620	0,750	1,905
KVC9500-4	4,023	10,218	2.000	5.080	0,752	1,910
KVC9500-8	4,023	10,218	2.000	5.080	0,752	1,910
KVC9530-4	4,023	10,218	2.000	5.080	0,752	1,910
KVC9505-8	4,023	10,218	2.000	5.080	0,945	2,400
KVC9530-8	4,023	10,218	2.375	6.033	1,125	2,858
KVC9535-4	4,023	10,218	2.625	6.668	1,125	2,858
KVC9550-4	4,023	10,218	3.250	8.255	1,900	4,826
KVC9550-4-D	4,023	10,218	3.250	8.255	1,900	4,826
KVC9800-4 LO	4,120	10,465	2.437	6.190	0,500	1,270
KVC9800-8 LO	4,120	10,465	2.437	6.190	0,500	1,270
KVC9840-4	4,120	10,465	2.125	5.398	0,750	1,905
KVC9850-4 LO	4,120	10,465	2.437	6.190	0,750	1,905
KVC9850-8 LO	4,120	10,465	2.437	6.190	0,750	1,905